



## Continental

## Rediscovering the bike?

It's hard to believe, but over the past two years the 29er has finally established itself in the global market after almost a decade of trying, and now there's already a new wheel size on the scene, the 27.5". The effects of such rapid diversification in wheel sizes present both opportunities and challenges.

In some regions this innovation has led to a purchasing dilemma for consumers, because it is still not clear in which segment of the MTB market each tyre size will finally be established. What is certain however, is that with the subsequent growing market demand, increased storage and logistical expenditure is imminent, not only for us as tyre manufacturers, but also for the entire supply chain including wholesalers and dealers, but we are prepared.

For 2014, we can offer our customers all the various models for the relevant primary intended use in 26", 29" and 27.5" sizes from our three production facilities. Choose the right size for you and your customers from three different price and quality levels. Our selection of products ranges from our price and performance champions for daily use from our Indian factory, the new **performance products** from the newly built factory in Hefei, to the highest quality **premium tyres** from Korbach – with top of the range technology such as BlackChili and Protection models.

Our engineers continue to work on with complete conviction, especially with the new MTB tyre sizes, which have had countless top spots in tyre tests in the global cycling media: "Test winner Made in Germany". Millions have been invested in the Korbach factory, preparing production in Germany for the latest challenges and technological requirements, including for our new and once again improved premium product, the new GP 4000 S II.

Heading into 2014 this just proves that it is possible to produce competitive products in Germany, products which rank amongst the best in the world technologically. Continental is not only the sole German tyre manufacturer, but also the last of the big global bicycle tyre manufacturers who still produces the majority of its products in Europe. This aspect is not only highly motivational for our development team and our employees, but is also a real commitment.

We would like to thank you for your interest and confidence in "German technology" and wish you a successful business year and an excellent cycling season in 2014.

Have fun discovering and experiencing Continental products!

Get the Grip!

√Jörg Malcherek

Head of Marketing/Sales/R&D







### BlackChili Compound

This unique tread rubber mixture which is only produced in our German factory has revolutionised bicycle tyres. The resultant compound showed a new relationship between grip and rolling resistance. This 'Elevated level', as it was previously known, was given the name 'BlackChill'. Countless test wins that were shown in laboratory tests show a tangible benefit. The latest polymers, nanoscale soot particles and optimized fillers all guarantee a unique performance, from downhill MTB tyres to the time trial tyres of the ProTour, they are second to none in their respective areas. BlackChilli Compound improves rolling resistance by 26 % and provides 30 % more grip than activated silica compounds. Premium tyres with BlackChilli Compound also impress with higher mileage and unlike many multi-compounds, provide a constant ride from the first to the last kilometre.



## Vectran™'s advantage

Vectran™ is spun from Vectra liquid crystal polymer, which results in a thread that is thermoplastic and has multifilaments. This semicrystalline material is harder then aramid, has five times higher tensile strength than steel and in addition, is also lighter than comparable nylon thread. Vectran™ maintains these attributes even in the most adverse weather conditions.



#### PolyX Breaker® - built to resist!

With the PolyX Breaker®, we are bringing our car expertise to the bicycle tyre sector. Polyester has been used successfully in car tyres for years and has proven itself over and over. The highly durable polyester thread is cross-stitched with a close mesh. As a result, very high fabric density is achieved, which not only makes the breaker more durable against foreign objects, but also particularly resistant to punctures.



## Race sport - easy, quick and secure.

Uncompromisingly designed for mountain bike XC and marathon racing. The race sport casings combines consistent lightweight design and exceptional puncture protection at the highest level. The design makes the difference – an especially fine, high quality nylon fabric with an intricate and universally protective rubber casing, together with the legendary BlackChili Compound for the ultimate race day tyre.



## ProTection - carefree epic ride.

Better than ever before – our new ProTection carcass is ready for duty! The addition of a ProTection layer under the tread and in the sidewalls makes it particularly durable and resistant to injury/damage or penetration from foreign objects. Universally applicable, they also inspire with BlackChili Compound, attractive design and low weight. In addition, they are easliy converted to tubeless as they now feature a tubless compatible bead.



SPEED POSTED





CYCLE HAWK MESSENGER UNITED STATES OF AMERICA, NEW YORK.



# Contents

Sponsorship	6
Race tyres	10
Tubular tyres	20
Road	
Track	
Indoor Sports	
Cyclo-cross tyres	28
Clincher	
Tubular	
Mountain bike tyres	32
Downhill/Freeride	
Enduro/AllMountain	
XC-Race	
Super light	
Urban	
Classics	
City-/Trekking tyres	46
Allround	
Winter	
E-Bike	
Balloon	
City/Urban	
Cross Trekking	
SpeedBike	
Plus tyres	58
Tubes & accessories	62
Deutsche Technik in detail	68
BlackChili Compound	70
TPI	71
MTB technology	72
Breaker technology	74
Tyre pressure & weight notice	77
Clothing for cycling and leisure	78
POS materials	86
CONTI™ Modular Shop System	89
New tyres	90



### "Golden times" for the tyres 'made in Korbach'

During the 2012 Olympic Games and at last year's world championships, our products were positively glowing gold. Our 'made in Korbach' performance tyres had a spectacular winning streak, securing six Olympic gold medals and five world championship titles. XC rider, Julie Bresset, simply dominated in the ladies mtb circuit with her wins at the Olympics, the world championships and at a national level. Marianne Vos and Philippe Gilbert also won their respective Olympic road races, later adding world championships titles to their tally of successes. In London, Alistair Brownlee became the new star in the Olympic triathlon and Rachel Atherton justified her ambitions as a top athlete by securing the overall world cup title in downhill.

The continuous dialogue between our engineers and top cyclists fuels the ongoing development of our products and enables them to achieve new levels of performance time and time again. Our developers and top sportsmen and women regard one another with mutual pride and respect for their achievements helping to pursue their passion for new goals together.

After all, it is the high quality "handmade in Germany" tyres from the Korbach plant which make that subtle difference. These products are made by specialists for specialists.

### Pro-Teams 2014:









## **UCI Continental Teams 2014:**











Rapha. Condor:





**Triathlon Teams 2014:** 





**Ladies Teams:** 







## "Hall of Fame" 2012/2013 peppered with Olympians, world-champions and preeminent individual athletes:

Rachel Atherton: World Champion UCI Overall Worldcup Downhill 2012, iXS European Downhill Cup 2012, National Championships UK 2012 and 2013 Gee Atherton: Silver medalist Downhill World Championship Leogang 2012,

National Championships UK 2012 and 2013

**Dan Atherton:** Winner Championship Super Enduro 2012 **Julie Bresset:** Gold medalist XC women 2012 Olympic Games,

World champion XC 2012, Winner XC French national championship 2012 **Philippe Gilbert:** Gold medalist Road Race World Championships 2012 **Marianne Vos:** Gold medalist Road Race women 2012 Olympic Games,

Gold medalist Road Race women World Championships 2012

Miriam Welte & Kristina Vogel: Gold medalist team sprint women 2012

Olympic Games

Alistair Brownlee: Gold medalist Triathlon 2012 Olympic Games Nicola Spirig: Gold medalist Triathlon women 2012 Olympic Games

Judith Arndt: Gold medalist Time Trial women 2012 World Championships,

Silver medalist Time Trial women 2012 Olympic Games

Team Lululemon: Gold medalist Time Trial Ladies Team 2012 World Championships

Tejay van Garderen: Young riders' white jersey Tour de France 2012,

2<sup>nd</sup> US Championships Time Trail 2012

Martin Kohler: Winner Championships Swiss 2012 Amanda Spratt: 1st Australian Championships 2012

Simon Gerrans: 1st Australian Championships Road Race 2012,

Winner Classic Race Mailand-San Remo

Luke Durbridge: 1st Australian Championships Time Trial 2012

Irina Kalentieva: Russian Champion women XC 2012

Sally Bigham: Overall Winner Cape Epic 2012

Alexander Gehbauer: Austrian Champion XC 2012, Winner UCI Worldcup 2012

Pietermaritzburg U23

Markus Kaufmann: XCM German Marathon Champion 2012

Moritz Milatz: European Champion XC 2012

Markus Schultze Lünzum: German Champion U23 XC 2012 Thomas Litscher: Swiss Champion Champion XC 2012,

U23 World Champion XC 2011

Andrea Eskau: Double gold medalist Time Trial & Road Race Paralympics Handbike

Olympic Games 2012, German Champion Handbike 2012

Continental sponsor Pro Teams as well as successful, up and coming squads and also regional teams.

























# GET THE GRIP





MARTIN SÖDERSTRÖM




















## **Quality-Hierarchy**

## **Premium**

- Our Premium tyres made for the highest performance
- The latest technologies developed with the world's most successful athletes
- Handmade by experienced specialists in Korbach, Germany
- The best materials for the highest quality and exceptional properties

## **Performance**

- Performance tyres for ambitious racers
- Sound materials and precise workmanship guarantee outstanding quality

## **Sport**

Excellent quality for sports level use

## Success born out of tradition.

Continental racing tyres set standards worldwide in all respects. They offer outstanding cycling performance and the optimum combination of grip, smooth riding, puncture protection and weight. This is backed up by the countless group test wins in recently published trade magazines. They are handmade in Germany using unique technologies and materials with the same commitment and passion with which you practice your sport.

									20"	2	6"				28"				2	7"
Segment	GrandTour	Tour	Race	Time Trial	Tuning	Race tyres	Page	Technology	28-406	28-559	23-571	20-622	22-622	23-622	24-622	25-622	28-622	32-622	28-630	32-630
						Set Grand Prix Attack & Force	12	Vectran™					ĺ		ĺ					
						Grand Prix 4000 S II	12	Vectran™			ĺ	(		ĺ		ĺ	ĺ			
						Grand Prix TT	13	Vectran <sup>™</sup>						(						
						Grand Prix Supersonic	13					(		ĺ						
Premium						Grand Prix 4-Season	14	Vectran™						•		•	•			
						Gator Hardshell	16	HARDSHELL PROTECTION						•		•	•	•		•
						Gatorskin	17	Poly Breaker®						•		•	•	•		•
						Grand Prix	14	Poly Breaker®	(	(	(			(		(	ĺ			
						Grand Prix Classic	15	Poly Breaker*								(				
						Grand Sport Extra	18	Wylechbreaker						•		•	•			
Desferre						Grand Sport Race	18	Wiechbreaker						•		•	•			
Performance						Grand Sport Light	18	Wiechbreaker						•						
						Ultra Sport II	18							•		•	•			
Sport						Super Sport Plus	19	Plus 🔁 👗						•		•	•		•	•
Home						Hometrainer	15							•				•		
								Corresponding inner tubes	Compact 20	Tour 26 Slim	Race 26			Race 28				00000	Training	

## **Set Grand Prix Attack & Force**



#### The road racers choice.

We continually develop our premium race tyre set, GP Attack & Force via our relationship with professional race teams. With this feedback and advances made in our technology, our serial production tyres are constantly improved. With the Grand Prix Attack and Force Set, the 22 mm front fitment Grand Prix Attack puts its face to the wind. The aerodynamic form of the tyre gives a faster ride and the lower tyre profile more agility. The 24 mm Grand Prix Force on the back wheel has a broader contact patch: This gives it more traction coupled with a higher mileage. Our premium racing tyre set gets the full premium build treatment, BlackChili Compound and a Vectran™ anti-puncture breaker – applied manually – in Germany!







## **Grand Prix 4000 S II**



#### The reference tyres.

The Grand Prix 4000 S II is the reference tyre in the road bike market and has gone through numerous stages of evolution. Our flagship tyre now gets a facelift! The discreet bead strip allows us to colour coordinate the tyre to match your bike perfectly without losing the BlackChili tread performance. We have also expanded the size range with an additional 28 mm version added. This provides improved grip in poor riding conditions, increased puncture protection and greater comfort. The proven aspects of the 4000 S II remain unchanged. Vectran™ Breaker for unsurpassed puncture protection, advanced BlackChili Compound for low rolling resistance and sensational grip, and handmade in Germany of course!





## You can't go faster, can you?

The Grand Prix TT follows in the tracks of the time trial tubular tyre Podium TT: a pure time trial tyre for serious competitors. Its ambitions are already optically apparent. A slick centre tread profile ensures a few seconds are saved whilst the slightly roughened shoulders give that extra assurance on rougher B road bends. Particularly light thanks to a minimised tread and indescribably fast due to the latest "BlackChili Compound".

Its Vectran™ Breaker protects reliably from the threat of punctures on rougher roads. Handmade in Germany - of course! A pure race tyre with reduced puncture protection and reduced mileage!







## Faster than the speed of sound!

With the Grand Prix Supersonic your contact with the road can be tuned to minimum weight and minimum rolling resistance. Together with a "Race 28 Supersonic" inner tube, our quickest tyre & tube set weighs only 200 g! The slick rolling area made out of a carbon black mixture looks cool and is of course made using our BlackChili recipie. But be cautious! The Grand Prix Supersonic is a very apt weapon in fighting for a personal best time, although for this extra speed, the tyre does not feature any additional puncture protection and has limited mileage use. With this in mind, the Grand Prix Supersonic is not a tyre for training!









Article			ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI PURE GRIP	ca.	PSI	PU
Set Grand	l Prix Att	ack & F		Dimension	lecinology	Golof/Gluewall/Beau		COMPOUND		1 01	
0100490			22/24-622	700 x 22/24C	Vectran Breaker	black/black Skin foldable	3/330	(	370	110–120	5
Grand Pri	x Attack										
0100488			22-622	700 x 22C	Vectran Breaker	black/black Skin foldable	3/330		175	110-120	10
Grand Pri	x Force										
0100489			24-622	700 x 24C	Vectran Breaker	black/black Skin foldable	3/330		195	110-120	10
Grand Pri	x 4000 S	II									
0100935	NEW		23-571	650 x 23C	Vectran Breaker	black/black Skin foldable	3/330	(	205	110–120	10
0100936	NEW		20-622	700 x 20C	Vectran Breaker	black/black Skin foldable	3/330	(	185	130–160	10
0100937	NEW		23-622	700 x 23C	Vectran Breaker	black/black Skin foldable	3/330	(	205	110–120	10
0100938	NEW		23-622	700 x 23C	Vectran Breaker	black/red Skin foldable	3/330	(	215	110–120	10
0100940	NEW		23-622	700 x 23C	Vectran Breaker	black/orange Skin foldable	3/330	(	215	110–120	10
0100939	NEW		23-622	700 x 23C	Vectran Breaker	black/yellow Skin foldable	3/330	(	215	110-120	10
0100941	NEW		23-622	700 x 23C	Vectran Breaker	black/blue Skin foldable	3/330	(	215	110–120	10
0100942	NEW		23-622	700 x 23C	Vectran Breaker	black/green Skin foldable	3/330	(	215	110–120	10
0100943	NEW		23-622	700 x 23C	Vectran Breaker	black/silver Skin foldable	3/330	(	215	110–120	10
0100944	NEW		23-622	700 x 23C	Vectran Breaker	black/transparent Skin foldable	3/330	(	215	110–120	10
0100945	NEW		25-622	700 x 25C	Vectran Breaker	black/black Skin foldable	3/330	(	225	95–120	10
0100946	NEW		25-622	700 x 25C	Vectran Breaker	black/black Skin foldable Reflex	3/330	(	225	95–120	10
0100947	NEW		28-622	700 x 28C	Vectran Breaker	black/black Skin foldable	3/330	(	235	95–116	10
0100948	NEW		28-622	700 x 28C	Vectran Breaker	black/black Skin foldable Reflex	3/330	(	235	95–116	10
Grand Pri	x TT										
0100487			23-622	700 x 23C	Vectran Breaker	black/black Skin foldable	3/330	(	180	110–120	10
Grand Pri	x Supers	onic									
0118345			20-622	700 x 20C	Supersonic	black/black Skin foldable	3/330	(	140	145–170	10
0118439			23-622	700 x 23C	Supersonic	black/black Skin foldable	3/330	(	150	115–145	10

## **Grand Prix 4-Season**



## **Technology from hell!**

Thanks to its DuraSkin® anti-tear fabric, the Grand Prix 4-Season holds up under extreme conditions. In the Paris-Roubaix race, the "Hell of the North", cyclists equipped with DuraSkin® enhanced tyres have the fewest tyre related problems during the race. Incorporating our special wear resistant carbon compound, the tyre is characterized by very good mileage performance as well as excellent adhesion on wet roads and at low temperatures. With the 23 mm, 25 mm and 28 mm versions, the Grand Prix 4-Season makes it possible to select the right tyre for various road qualities and comfort requirements. A double Vectran™ Breaker belt under the tread raises the puncture and cut protection to the highest level available on the market. "The Continental GP 4-Season is the standard: full score in all categories! The tyre is lightweight and rolls well. It achieved by far the best result in offering fantastic grip and puncture protection, even in the wet and cold. Not just the top winter tyre." The test results from Road Bike Magazine 02/11.

**Vectran™ ∑**{ DuraSkin®

## **Grand Prix**





## Fulfilling the legacy!

The Continental Grand Prix tyre is ingrained in cycle racing history. In the late eighties, it heralded the triumphant entry of the modern racing bike 'clincher' and is today a synonym for quality and performance. This latest incarnation shines thanks to a PolyX Breaker® layer in the casing and a BlackChili Compound with an impressive combination of puncture protection, easy running, durability and grip. The modern profile design and the TWI (wear indicator) round off the performance. "Handmade in Germany" as folding and wired tyres in the classic racing dimension 23-622 and many other sizes.





#### The modern classic.

It is not only visually that the authentic design of the Grand Prix Classic upgrades any retro race bike, or modern for that matter! It's what's inside that also counts, after all this new addition to the Continental range, with its brown sidewalls and Conti Sport-Profil tread from 1982 is actually based on the current Grand Prix tyre. Thanks to a PolyX Breaker , highly stable and fine 180 TPI nylon carcass and the legendary BlackChili Compound, it presents itself technically as a state-of-the-art racing tyre. The contemporary dimensions 25-622, a folding bead – Handmade in Germany – guarantee comfort and light running.



## The roller tyre.

With a modern roller and the Hometrainer in the house, winter can set in when it wants to. Thanks to its special cold-running compound, the Hometrainer doesn't experience the heat buildup of a road tyre, nor does it suffer the tread separation that the road tyre is prone to under the special loads that occur when cycling and braking on the roller's revolving drums.

## **Grand Prix Classic**





## Hometrainer





Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI COMPOUND	ca.	PSI	PU
Grand Prix 4-Season	า								
0100173	23-622	700 x 23C	Double Vectran Breaker	black/DuraSkin foldable	3/330		230	110–120	10
0100175	25-622	700 x 25C	Double Vectran Breaker	black/DuraSkin foldable	3/330		240	95–120	10
0100177	28-622	700 x 28C	Double Vectran Breaker	black/DuraSkin foldable	3/330		260	95–115	10
Grand Prix									
0100146	28-406	20 x 1.10	PolyX Breaker	black/black Skin	3/180	(	205	95–116	10
0100149	28-559	26 x 1 1/8	PolyX Breaker	black/black Skin foldable	3/180	(	250	95–116	10
0100148	28-559	26 x 1 1/8	PolyX Breaker	black/black Skin	3/180	(	320	95–116	10
0100502	23-571	650 x 23C	PolyX Breaker	black/black Skin	3/180	(	280	110–120	10
0100506	23-622	700 x 23C	PolyX Breaker	black/black Skin foldable	3/180	(	225	110–120	10
0100505	23-622	700 x 23C	PolyX Breaker	black/black Skin	3/180	(	295	110–120	10
0100637	25-622	700 x 25C	PolyX Breaker	black/black Skin foldable	3/180	(	245	110–120	10
0100636	25-622	700 x 25C	PolyX Breaker	black/black Skin	3/180	(	315	110–120	10
0100157	28-622	700 x 28C	PolyX Breaker	black/black Skin	3/180	(	340	95–116	10
<b>Grand Prix Classic</b>									
0100456	25-622	700 x 25C	PolyX Breaker	black/DuraSkin foldable	3/180	(	230	95-120	10
Hometrainer									
0100648	47-559	26 x 1.75	Hometrainer	black/black foldable	3/180		600	45-65	10
0100647	23-622	700 x 23C	Hometrainer	black/black foldable	3/180		250	110–120	10
0100649	32-622	700 x 32C	Hometrainer	black/black foldable	3/180		360	85-102	10

## **Gator Hardshell**



## MORE is what you get!

The Ultra Gatorskin has set the bar for a perfectly-balanced blend of ride quality and long-term durability without breaking the bank ... but still the roads of North America and Great Britain demand more! The Gator Hardshell delivers!!! Sharing the bead-to-bead protection of DuraSkin®, the Hardshell casing wraps further into the sidewall and an extra-wide PolyX Breaker® covers the entyre tread strip from shoulder-to-shoulder. Added material under the tread strip not only improves mileage, but lends yet another degree of puncture resistance. More isn't always better, but in this case – MORE is what you get. Now includes a 700 x 28C and 700 x 32C foldable size.




Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	URE GRIP	PSI	PU
Gator Hardshell								
0100311	23-622	700 x 23C	Hardshell	black/DuraSkin foldable	3/180	250	110–120	10
0100310	23-622	700 x 23C	Hardshell	black/DuraSkin	3/180	330	110-120	10
0100313	25-622	700 x 25C	Hardshell	black/DuraSkin foldable	3/180	270	95-120	10
0100312	25-622	700 x 25C	Hardshell	black/DuraSkin	3/180	330	95-120	10
0100639	28-622	700 x 28C	Hardshell	black/DuraSkin foldable	3/180	350	95–116	10
0100314	28-622	700 x 28C	Hardshell	black/DuraSkin	3/180	410	95–116	10
0100640	32-622	700 x 32C	Hardshell	black/DuraSkin foldable	3/180	355	85-102	10
0100435	32-622	700 x 32C	Hardshell	black/DuraSkin	3/180	420	85-102	10
0100315	32-630	27 x 1 1/4	Hardshell	black/DuraSkin	3/180	460	85-102	10
Gatorskin								
0118364	23-571	650 x 23C	PolyX Breaker	black/DuraSkin	3/180	270	110-120	10
0118365	28-559	26 x 1 1/8	PolyX Breaker	black/DuraSkin	3/180	320	95-120	10
0118538	23-622	700 x 23C	PolyX Breaker	black/DuraSkin foldable	3/180	220	110-120	10
0118537	23-622	700 x 23C	PolyX Breaker	black/DuraSkin	3/180	290	110-120	10
0100084	25-622	700 x 25C	PolyX Breaker	black/DuraSkin foldable	3/180	240	95-120	10
0118539	25-622	700 x 25C	PolyX Breaker	black/DuraSkin	3/180	310	95-120	10
0100641	28-622	700 x 28C	PolyX Breaker	black/DuraSkin foldable	3/180	320	95–116	10
0121228	28-622	700 x 28C	PolyX Breaker	black/DuraSkin	3/180	360	95–116	10
0100642	32-622	700 x 32C	PolyX Breaker	black/DuraSkin foldable	3/180	325	85–102	10
0100437	32-622	700 x 32C	PolyX Breaker	black/DuraSkin	3/180	365	85–102	10
0122300	32-630	27 x 1 1/4	PolyX Breaker	black/DuraSkin	3/180	390	85–102	10

## The long distance runner.

A durable carbon black mixture, a well regarded puncture protection system and the DuraSkin®-anti-cut fabric turn the Gatorskin, formely known as Ultra Gatorskin, into a real long distance runner. In varying widths from 23 mm to 32 mm it can be used on the way to work as well as training for road races or for sportives and audax. The Gatorskin is a highly popular tyre at a nice price which now includes folding options in 28-622 & 32-622.









## **Grand Sport Extra/Race/Light**



## Performance for every occasion.

The Grand Sport family is based on a solid 60 TPI casing, a NyTech breaker and the durable and super grippy PureGrip tread compound. We have designed each tyre for a particular use. The **Grand Sport Extra** offers pure puncture protection. The doubled up NyTech breaker and a three layer sidewall make it a reliable work horse, ideal for heavy training and tough racing conditions. The Grand Sport Race is designed as a balanced, all-around tyre. The NyTech breaker and sufficient PureGrip compound in the tread give confidence for effortless and countless racing and training kilometres. The Grand Sport Light, in contrast, has been designed as a competitive tyre, the reduced PureGrip compound saves weight, but at the cost of longevity. A good level of puncture protection is provided by the NyTech Breaker.





## **Ultra Sport II**



## The entry level tyre for the aspiring racer.

The Ultra Sport offers everything you need performance wise for racing. Reliable puncture protection from the robust 3/180 TPI design, good grip and a long tread life from the silica based compound. Tyre sizes are available to cover a range of intended uses. For racing there is the 23 mm width, touring and long-distance cyclists may favour the more forgiving 25 mm size and if the frame allows, a 28 mm version offers more grip, even more comfort and greater puncture protection, attributes which even professional cyclists crave for the Spring Classics.

## Cycle couriers, regular commuters and fixie riders!

The Super Sport Plus uses the proven profile of the good old Grand Prix with added Plus Breaker, guaranteeing the highest puncture protection. A more robust, extra thick casing means excellent sidewall durability and an especially thick tread provides greater longevity. Cycle couriers, regular commuters and fixie riders, this is YOUR tyre!










CYCLE HAWK MESSENGER  CYCLE HAWK MESSENGER  CYCLE HAWK MESSENGER
CYCLE HAWK MESSENGER UNITED STATES OF AMERICA NEW YORK.

Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	PURE GRI	g	PSI	PU
Grand Sp	ort Extra									
0150021	NEW	23-622	700 x 23C	Double NyTech Breaker	black/black Skin foldable	3/180	<b>~</b>	280	110–120	10
0150024	NEW	25-622	700 x 25C	Double NyTech Breaker	black/black Skin foldable	3/180	<b>~</b>	300	95–120	10
0150030	NEW	28-622	700 x 28C	Double NyTech Breaker	black/black Skin foldable	3/180	<b>✓</b>	320	80–116	10
Grand Sp	ort Race									
0150001	NEW	23-622	700 x 23C	NyTech Breaker	black/black Skin foldable	3/180	<b>✓</b>	230	110-120	10
0150027	NEW	25-622	700 x 25C	NyTech Breaker	black/black Skin foldable	3/180	<b>~</b>	250	95–120	10
0150118	NEW	28-622	700 x 28C	NyTech Breaker	black/black Skin foldable	3/180	<b>✓</b>	270	80–116	10
Grand Sp	ort Light									
0150018	NEW	23-622	700 x 23C	NyTech Breaker	black/black Skin foldable	3/180	<b>~</b>	220	110–120	10
Ultra Spo	rt II									
0150003	NEW	23-622	700 x 23C	Performance	black/black Skin foldable	3/180		240	110-120	10
0150126	NEW	23-622	700 x 23C	Performance	black/red Skin foldable	3/180		240	110–120	10
0150127	NEW	23-622	700 x 23C	Performance	black/yellow Skin foldable	3/180		240	110–120	10
0150128	NEW	23-622	700 x 23C	Performance	black/orange Skin foldable	3/180		240	110–120	10
0150129	NEW	23-622	700 x 23C	Performance	black/blue Skin foldable	3/180		240	110–120	10
0150130	NEW	23-622	700 x 23C	Performance	black/green Skin foldable	3/180		240	110–120	10
0150131	NEW	23-622	700 x 23C	Performance	black/pink Skin foldable	3/180		240	110–120	10
0150132	NEW	23-622	700 x 23C	Performance	black/white Skin foldable	3/180		240	110–120	10
0150006	NEW	23-622	700 x 23C	Performance	black/black Skin	3/180		300	110–120	10
0150011	NEW	25-622	700 x 25C	Performance	black/black Skin foldable	3/180		260	95–120	10
0150009	NEW	25-622	700 x 25C	Performance	black/black Skin	3/180		320	95–120	10
0150014	NEW	28-622	700 x 28C	Performance	black/black Skin foldable	3/180		280	80-116	10
0150012	NEW	28-622	700 x 28C	Performance	black/black Skin	3/180		340	80-116	10
Super Sp	ort Plus								PI	lus 🕕 👗
0100341		23-622	700 x 23C	Plus Breaker	black/black foldable	3/84		320	110–120	10
0100344		23-622	700 x 23C	Plus Breaker	black/black	3/84		380	110-120	10
0100343		25-622	700 x 25C	Plus Breaker	black/black foldable	3/84		400	95–120	10
0100342		25-622	700 x 25C	Plus Breaker	black/black	3/84		420	95–120	10
0100349		28-622	700 x 28C	Plus Breaker	black/black	3/84		550	80-116	10
0100347		28-630	27 x 1 1/8	Plus Breaker	black/black	3/84		560	80-102	10
0100348		32-630	27 x 1 1/4	Plus Breaker	black/black	3/84		640	70-102	10



## The showcase product.

Handmade in Germany with pride, tradition and perfection using ground-breaking technology and the latest materials. Honoured for decades by countless wins in the most difficult and renowned races in the world. Used by the most successful cycling pros and triathletes. They are the undisputed reference tyres in the sport of cycling - tubular tyres by Continental.



## **Set Attack Comp & Force Comp**



## World premiere!

The result of a collaboration between Continental and ProTour teams, this is a completely new type of tyre concept. The first TirePositioning ® System (TPS) Tubular. At the front, the 22 mm narrow Attack Comp does its work and provides improved aerodynamics as well as high agility through faster transition into corners. At the rear, the Force Comp power machine at 24 mm provides a large contact area that guarantees a better power transmission as well as low rolling resistance. Couple this with a higher service mileage and a higher level of comfort thanks to the wider casing, and you get a tubular which is especially forgiving with today's ultra stiff racing bikes. This set is hand sewn in Korbach, and features our BlackChili Compound as well as Vectran™ Breaker anti puncture technology.







## Competition





### The Grand Master.

The Competition stands for true handwork with a needle and thread. It is the most dependable tyre in the pro peloton. It has proven itself time and time again on the world stage often accompanying prominent cyclists to their victory, just like Cadel Evans at the Tour de France in 2011. We are proud of our Competition, that's why we always keep it on the road to victory. The Competition was the first tyre in our range to be equipped with BlackChili Compound and Vectran™ Breaker.





## Grand Prix 4000 S II Tubular





### The moulded tubular tyre.

The 4000 S II Tubular has also had a facelift whilst retaining its core traits. A seamless casing design improves seating on the rim and the tyre's uniformity. Also unchanged for the 4000 S II tubular are the Vectran™ Breaker for unsurpassed puncture protection and the BlackChili Compound for low rolling resistance and superb grip. A winning tyre, handmade in Germany.







#### The time machine!

TT stands for time trial! In the race against the clock, entyre tours are decided which is reason enough to offer an especially fast TT tyre, just look at Cadel Evans' victory in the 2011 Tour de France! Although designed as a time-trial specific tubular, the Podium TT is also popular among pros in regular road races. The reason for this is its design: Thanks to the latest BlackChili Compound, this Chrono-Specialist available in 19 and 22 mm widths is not only super-fast, its Vectran™ Breaker also offers excellent puncture protection. The Podium is a lightweight tubular tyre, weighing in at only 205 grams in its 22 mm width. Low weight means low rotation energy. The tread thickness has been reduced to 0.7 mm, enough for a few hard racing days. The ultra-fast slick tread shows you how fast it is even when it's not moving!













						画		
Article	Dimension"	Dimension	Technology	Color/Sidewall/Bead	TPI*		PSI	PU
Set Attack Comp & Fo	rce Comp							
0100748	28" x 22/24 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	500	115–170	5
Attack Comp								
0196231	28" x 22 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	240	115–170	10
Force Comp								
0196232	28" x 24 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	260	115–170	10
Competition								
0196142	26" x 19 mm	26 x 3/4	Vectran Breaker	black/black Skin	3/180	215	145-170	10
0196141	26" x 22 mm	26 x 1	Vectran Breaker	black/black Skin	3/180	250	115–170	10
0196140	28" x 19 mm	27 x 3/4	Vectran Breaker	black/black Skin	3/180	230	145–170	10
0196138	28" x 22 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	260	115–170	10
0196189	28" x 25 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	280	115–170	10
Grand Prix 4000 S II T	ubular							
0196241 NEW	28" x 22 mm	27 x 1	Vectran Breaker	black/black Skin	4/240	270	115–170	10
Podium TT								
0196181	28" x 19 mm	27 x 3/4	Vectran Breaker	black/black Skin	3/180	195	160-220	10
0196180	28" x 22 mm	27 x 1	Vectran Breaker	black/black Skin	3/180	225	160–170	10

<sup>\*</sup>TPI see page 71



## **Tubular tyres** Road

## **Sprinter Gatorskin**



#### The fast endurance runner.

Inheriting the best qualities of the highly popular Gatorskin road tyre, namely the durable carbon black tread mixture, the effective puncture protection breaker layer and the DuraSkin® anti-cut fabric. The Sprinter Gatorskin itself features the typically comfortable and light feel of a tubular tyre. The professional riders use a similar combination in their tyres for Paris - Roubaix and other equipment destroying classics in the springtime. If you want to 'get the miles in', but your streets aren't covered with the finest tarmac and you prefer the inconspicuous function of your tyres, then this is your tubular.





## **Sprinter**





## The specialist for circuit races or the criterium.

Its function is in its name. The Sprinter is a fast tyre for the shorter road events like criteriums. With a nylon puncture protection breaker it is now even more reliable without losing its terrific rolling qualities. Its flexible casing and the extremely adhesive BlackChili Compound keeps contact with the road even in fast 90° bends. With its low weight and good acceleration it is most definitely the fastest tyre in the last 400 metres.







Giro

## The tubular tyre for training.

Tubular tyres are used primarily in competitions because of their excellent rolling characteristics and very good dry running properties. With the Giro, you can also rely on these strengths in training. To ensure that this training tyre is excellent value for money, we have the no-frills, robustly manufactured Giro made to our specifications in Asia.







## Note:

Carbon tubular cement for carbon rims must be handled differently to conventional tubular cement for aluminum rims. Always observe the processing information on the packaging.

Caution: You will find a detailed assembly film at "www.conti-bicycletyres.com/tubularmountinginstructions"

See accessories on page 66-67.



## Matching tubular rim cement

Article	Tread	PU
0149091	Tubular rim cement for aluminium rims, 25 g tube	12
0149092	Tubular rim cement for aluminium rims, 350 g can	1
0140016	Tubular rim cement for carbon rims, 25 g tube	12
0140017	Tubular rim cement for carbon rims, 200 g can	1

Article	Dimension"	Dimension	Technology	Color/Sidewall/Bead	TPI*	<u>s</u>	PSI	PU
Sprinter Gatorskin								
0196136	28" x 22 mm	27 x 1	SafetySystem Breaker	black/black Skin	3/180	300	115–170	10
0196187	28" x 25 mm	27 x 1	SafetySystem Breaker	black/black Skin	3/180	320	115–170	10
Sprinter								
0196150	26" x 22 mm	26 x 1	SafetySystem Breaker	black/black Skin	3/180	260	145-170	10
0196135	28" x 22 mm	27 x 1	SafetySystem Breaker	black/black Skin	3/180	275	115–170	10
Giro								
0196017	28" x 22 mm	27 x 1	Performance	black/transparent Skin	2/160	300	115–145	25

<sup>\*</sup>TPI see page 71



## **Tubular tyres**Track

## **Olympic II**







## The tubular for Olympic athletes.

Our target for this re-development can be described easily: Faster! Lighter! Better! The rolling resistance is further reduced without compromise; the last unnecessary gram of the tyre has been cut. This tyre is the pinnacle of our tubular range, manufactured and hand sewn using carefully selected components at our German factory in Korbach. This makes the Olympic II the specialist in all track cycling disciplines.



## Sonderklasse II







#### Black Beauty on the track.

The special class is the reference in indoor track meetings. For generations a synonym for reliability – Appreciated worldwide and hotly desired by riders as well as mechanics. We have now optically updated the classic amongst our tubular tyres for the velodrome. Presented in a new all-black guise, underlining the special class even better and giving a nobler image. The innermost values remain untouched: high value nylon carcass and the classical "Handmade in Germany" treatment.



## Tempo II







## Speed is everything.

We've made the Tempo go even faster! With an extremely fine nylon carcass and the latest BlackChili Compound it is a credit to its name. Designed for the track, as a very light and extremely fast competition tubular tyre, it is also bought by famous professionals and "misused" for mountain stages and time trials. Handmade in Korbach, it is however not recommended for use in road races due to its uncompromising composition.





# Tubular tyres Indoor Sports

## The specialist for artistic cycling, bicycle polo, cycle ball as well as indoor wheelchair sports.

The demands on tyres for indoor sports is becoming more and more specific so that floor adhesion is enhanced. Thanks to a new rubber mixture, visible marks on floors are out of the question. During indoor sports, tyres are subject to extremely high demands which the Saalsport resists due to its high strength carcass. A glued tubular tyre is essential due to the high transverse forces which exist in indoor cycle sports and wheelchair sports.







Article	Dimension"	Dimension	To also a la sur	Color/Sidewall/Bead	TPI*		PSI	PU
Article	Dimension"	Dimension	Technology	Color/Sidewall/Bead	IPI° SOMPOUND		P5I	PU
Olympic II								
0196186	28" x 19 mm	27 x 3/4	Track	black/black Skin	2/220	185	170-220	2
Sonderklasse II								
0196188	28" x 23 mm	27 x 1	Track	black/black Skin	3/180	220	160-170	10
Tempo II								
0196185	28" x 19 mm	27 x 3/4	Track	black/black Skin	3/180	180	160-220	10
0196184	28" x 22 mm	27 x 1	Track	black/black Skin	3/180	200	160–170	10
Steher (not shown)								
0196000	24" x 25 mm	24 x 1	Track	black/black Skin	3/180	260	145–170	10
0196045	28" x 23 mm	27 x 1	Track	black/black Skin	3/180	250	160-170	10
Saalsport II								
0196207	-	24 x 1	Indoor	anthracite	3/84	340	145–170	10
0196208	-	24 x 1 1/8	Indoor	anthracite	3/84	380	115–145	10
0196209	_	26 x 1	Indoor	anthracite	3/84	370	145–170	10
0196229	_	26 x 1 1/8	Indoor	anthracite	3/84	420	115–145	10
0196230	_	26 x 1 1/4	Indoor	anthracite	3/84	445	100–116	10

<sup>\*</sup>TPI see page 71



All tubular tyres come with removable 42 mm Presta valves.





## Multi-talented.

Cyclocross riders are truly multi-talented, strong on any type of terrain, combining the benefits of racing a road bike with that of a mountain bike. With the Continental cyclocross models you'll have the right tyre for any condition, from tyres made for speed over hard and sandy ground, to the tenacious all-rounder and to those with an open tread profile designed for maximum grip. There are also tyre options which are ideal for everyday use or for trekking bikes. Choose between ultra-light with BlackChili for competitions or more robust versions with extra puncture protection and reflective strips for leisure and off-road commuting use.

Segment	Hardpack	Mixed	Wet	Mud	Cyclo-cross tyres	Page	Dimension	32-622	35-622	Corresponding inner tubes
					CycloXKingTubular	31	32 mm	(		-
Premium					Mountain King CX	30	32 mm	(		
					CycloXKing	30	32 mm	(		
					Cycloxking	30	35 mm		•	Cross 28
Performance					Cyclocross Race	30	35 mm		•	
					Cyclocross Speed	30	35 mm		•	

## **Mountain King CX**





### Welcome to the mud!

In muddy MTB cross-country races, the Mountain King has already made a name and is now the mud specialist in the cyclocross segment. Thanks to its deep profile, the Mountain King digs deep into the sturdier ground beneath any soft mud. The large studs also roll pretty well on harder ground. The shoulder lugs are intentionally separated from the centre lugs so that they can cut deep into the ground in cornering and off-camber terrain. BlackChili Compound offers outstanding grip with good self-cleaning. Feedback from testers: 'Like riding on a track'.





## CycloXKing





### The XKing for Cyclo-X.

After a successful start on the mountain bike scene, the XKing now also stirs excitement at cyclocross events. The powerful allrounder convinces by its quiet running, fast and at the same time extremely grippy profile. Thanks to a smooth 180 TPI nylon carcass and the latest BlackChili Compound the 32 mm wide folding tyre guarantees an outstanding performance on all sorts of surfaces. Ideal for competition and training - and not wider than allowed by the UCI! Made in Germany - of course!





## **Cyclocross Race**





## The CX racing clincher.

The Cyclocross race makes its case with a voluminous 35 mm carcass and has a racer's heart beat. It promises the convenience of riding tubulars without having to deal with the cumbersome cement. Even at low air pressure, perfect balance between grip, comfort and low rolling resistance is provided.

## **Cyclocross Speed**





## For hard and frozen ground.

The Cyclocross Speed is the first choice on a pure cross bike thanks to a diamond-coated centre section and coarse studs in the shoulder lugs.

## The all-around genius for Cyclocross.

The first Cyclocross tubular tyres with BlackChili Compound, built and sewn by hand in the Korbach tubular manufacturing plant. The profile is derived from the all-around X-King MTB tyre. The alternating mid stubs roll cleanly especially on harder surfaces like compacted dry mud, pathways and tarmac sections; its raised outer stubs bite into every surface when cornering. The supple carcass deforms easily around surface edges meaning outstanding grip as the tyre grabs to any terrain it can thanks to this enhanced contact area. BlackChili Compound with its outstanding wet gripping properties makes the tyre an all-around weapon in the sport of cyclocross.

## **CycloXKing Tubular**









Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	C g	PSI	PU
Mountain Ki	ing CX							
0100472	32-622	700 x 32C	RaceSport	black/black Skin foldable	3/180	320	45–85	10
CycloXKing								
0100451	32-622	700 x 32C	RaceSport	black/black Skin foldable	3/180	320	45–85	10
0100478	35-622	700 x 35C	Sport	black/black Skin foldable	3/84	380	56–85	10
0100444	35-622	700 x 35C	Sport	black/black Skin	3/84	450	56–85	10
Cyclocross	Race							
0100251	35-622	700 x 35C	Performance	black/black Skin foldable	3/180	350	56–85	10
0100250	35-622	700 x 35C	Sport	black/black Skin	3/84	420	56–85	10
Cyclocross	Speed							
0100255	35-622	700 x 35C	Performance	black/black Skin foldable	3/180	350	56–85	10
0100254	35-622	700 x 35C	Sport	black/black Skin	3/84	420	56–85	10
CycloXKing	Tubular							
0199297	28" x 32 mm	700 x 32C	Tubular	black/black Skin	3/180	390	30–85	10

<sup>\*</sup>TPI see page 71



32-622 -> 47-622

Correspondi	ng inner t	ubes
ETRTO	Dimension	

700 x 32 -> 700 x 47

ETRTO	Dimension	Unitube Name
Cross 28"	(700C)	

Cross 28 (700C)

## 40 mm





0181941

Article Number



0181951








155 25



## The best for every trail.

The perfect grip for any type of terrain is the key priority in the development of our mountain bike tyres. Tyres with BlackChili are incredibly light rolling, durable and highly puncture resistant, making them the first choice for the fastest and best in mountain biking.

Whether it's Danny MacAskill, Andreu Lacondeguy, the Athertons, Richie Schley or the Topeak Ergon team, they and many more trust in Continental tyres from Korbach.



## Mountain bike tyres

## Der Kaiser 2.5





## Spiritual head and secular ruler.

Our Dry to Intermediate DH tyre has been a regular at UCI World Cups over the past couple of seasons. If you are looking for an all round tyre to do some local races or an uplift day then look no further. The tread pattern is a perfect mix for speed and mud clearance. The BlackChilli Compound helps you stick to the ground even when hitting off camber turns flat out. This is the tyre that took Gee Atherton to his first WC win on home soil and on to the podium of the Red Bull Rampage! Now available in two formats. The BlackChilli version features the latest advancements in our German made rubber compounding and a standard version to help all those potential world champs get every second off their race time!



## **Der Kaiser 2.4 Projekt**





## "Dominance has a new name".

For almost two years, Conti engineers worked together with some of the best downhillers and free riders in the world on 'project'. Richey Schley's commented the outcome: "You created a monster!" This monsters wedge shaped shoulder lugs provide a progressive cornering response. This easy-to-control feel makes the Emperor Project a tyre that really helps maintain speed in the corners. The ramps in the centre area roll up quickly and bite the ground when braking. A new Apex sidewall reinforcement and a two-ply carcass make the Emperor's torsion and puncture resistance better than ever. The 2.4 carcass qualifies it as an agile weapon made for the hardest World Cup track. "Handmade in Germany" World Cup tyres with reduced mileage!



## Aristocracy has its duties.

"Der Baron" is our downhill intermediate option that can also provide an assured ride in damp conditions. The arrangement of studs is aimed at grip in loose rock & mud, whilst the casing holds up to serious World Cup level abuse, thanks in part to a special reinforced 'Apex' sidewall.

This extra thick, double-layer carcass effectively prevents pinch punctures & Der Baron uses a particularly soft (downhill) version of the legendary BlackChili Compound which provides unrivalled grip and rolling speed. The "little baron" puts a hard landing without grumbling away, but it rolls easily enough to come to their own strength to the summit. Clearly lighter than its big brother, he is able above all Freeriders and to inspire enduro riders. BlackChili Compounds high wear resistance both transforms performance and value for money – MORE GRIP, MORE TREAD LIFE.









Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Call Call Call Call Call Call Call Call	PSI	PU
Der Kaiser 2.5			A PARTY					13/
0100226	62-559	26 x 2.5	Apex	black/black	6/360	1215	45–58	2
Der Kaiser 2.4 P	rojekt							
0100619	60-559	26 x 2.4	Apex	black/black	6/360	1200	45–58	2
Der Baron 2.5/B	aron 2.3	A STATE OF	1000					
0100227	62-559	26 x 2.5	Apex	black/black	6/360	1215	45–58	2
0100548	57-559	26 x 2.3	Apex	black/black foldable	3/180	780	45–58	6
0100549	57-559	26 x 2.3	UST	black/black foldable	3/330	900	45–58	6
0100309	57-559	26 x 2.3	Sport	black/black	3/84	980	45–58	5

## **Trail King 2.4/2.2**





## The King of the trails!

The combination of this tyre's tread pattern, Apex reinforced sidewalls and the extra soft BlackChili Compound make this tyre the king of the 2.4-inch market. It takes hard landings in its stride thanks to the specially reinforced sidewalls, whilst maintaining stable cornering control. Even with its outstanding grip, this tyre lasts, making it not only the perfect choice for freeriders, but also for Enduros. Its little 2.2 brother still hits the mark with its superb grip and unexpected low rolling resistance for long distance riding over a variety of terrain. Thanks to the innovative BlackChili Compound, the Trail King is a master of the demands and challenges of all mountain riding. Both sizes are available in folding and steel bead versions without Apex and BlackChili.











### Mud should not stop the game!

When cross country riders are slogging their way around the track in the rain, that's when you know it's time for the "Mud King" 1.8. Its outstanding profile grabs the surface even under the muddiest conditions. Thanks to BlackChili Compound, the tyre has excellent self-cleaning and offers a steady grip even on wet roots and stones.

It's narrow enough to fit into even the most cramped car boot and thanks to its reinforced ProTection casing greatly reduces the chances of any unwanted punctures during the races. Mud King + rain = fun in the mud!



### **Mud King 2.3/1.8**





Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI COMPOUND	ca.	PSI	PU
Trail King	2.4/2.2									
0100653	=	60-559	26 x 2.4	ProTection + Apex	black/black foldable	4/240		960	45–58	6
0100903	NEW	60-584	27.5 x 2.4	ProTection 27.5 + Apex	black/black foldable	4/240	(	990	45–58	6
0100656	=	60-622	29 x 2.4	ProTection 29er + Apex	black/black foldable	4/240	(	1050	45–58	6
0100554	=	60-559	26 x 2.4	UST	black/black foldable	3/330	(	1130	45–58	6
0100897	NEW	60-584	27.5 x 2.4	Sport 27.5	black/black	3/84		1090	45–58	5
0100581		60-622	29 x 2.4	Sport 29er	black/black Skin	3/84		1140	45–58	5
0100551	=	55-559	26 x 2.2	ProTection	black/black Skin foldable	4/240	(	730	50-65	6
0100904	NEW	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240	(	770	50-65	6
0100721	=	55-622	29 x 2.2	ProTection 29er	black/black Skin foldable	4/240	(	815	50-65	6
0100929	NEW	55-559	26 x 2.2	RaceSport	black/black foldable	3/180	(	640	50-65	6
0100905	NEW	55-584	27.5 x 2.2	RaceSport 27.5	black/black foldable	3/180	(	665	50-65	6
0100928	NEW	55-622	29 x 2.2	RaceSport 29er	black/black foldable	3/180	(	710	50-65	6
0100552	=	55-559	26 x 2.2	UST	black/black Skin foldable	3/330		770	50-65	6
0100304		55-559	26 x 2.2	Sport	black/black Skin	4/112		1000	50-65	5
0100906	NEW	55-584	27.5 x 2.2	Sport 27.5	black/black Skin	4/112		1040	50-65	5
0100582		55-622	29 x 2.2	Sport 29er	black/black Skin	3/84		980	50-65	5
Mud King	2.3/1.8									
0100414	=	57-559	26 x 2.3	Apex	black/black	6/360	(	1100	50-65	2
0100547	_	47-559	26 x 1.8	ProTection	black/black Skin foldable	4/240	(	520	50-65	6
0100918	NEW	47-622	29 x 1.8	ProTection	black/black Skin foldable	4/240	(	580	50-65	6

### Mountain King 2.4/2.2



### Mountain King II – the new regent!

Now firmly into the second period of its reign, the Mountain King II strengthens its rule over the all-round trail bike market. Available in two sizes (2.2 & 2.4) superb braking traction and optimum cornering are guaranteed in all types of conditions. The tread lug arrangement was developed in collaboration with professional mountain bikers, resulting in an exceptionally light yet positively tough trail tyre. The ProTection & UST model are the sensible choices for the majority whilst weight weenies and racers can take advantage of the RS (RaceSport) option. 29" and standard options are also available.

Trail riders, Cross Country racers, Alpine tourists and Marathon riders – this is a serious intermediate tyre option.

"If ever there was a Swiss Army knife of tyres, this has to be it." - DIRT100 Magazine - 2012

"Continental BlackChili Compound is by far the longest lasting." (bike 07/11)











Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI COMPOUND	ca.	PSI	PU
Mountain	King 2.4/2	2.2								
0100515		60-559	26 x 2.4	ProTection	black/black Skin foldable	4/240	(	715	50-65	6
0100907	NEW	60-584	27.5 x 2.4	ProTection 27.5	black/black Skin foldable	4/240		795	50-65	6
0100723	•	60-622	29 x 2.4	ProTection 29er	black/black Skin foldable	4/240	(	845	50-65	6
0100514		60-559	26 x 2.4	RaceSport	black/black Skin foldable	3/180		635	50-65	6
0100859	NEW	60-584	27.5 x 2.4	RaceSport 27.5	black/black Skin foldable	3/180		690	50-65	6
0100724		60-622	29 x 2.4	RaceSport 29er	black/black Skin foldable	3/180		730	50-65	6
0100516		60-559	26 x 2.4	UST	black/black Skin foldable	3/330		880	45-58	6
0150053	NEW	60-559	26 x 2.4	Performance	black/black Skin foldable	3/180	~	715	50-65	6
0150048	NEW	60-622	29 x 2.4	Performance 29er	black/black Skin foldable	3/180	<b>~</b>	800	50-65	6
0100394		60-559	26 x 2.4	Sport	black/black Skin	3/84		740	50-65	5
0100908	NEW	60-584	27.5 x 2.4	Sport 27.5	black/black Skin	3/84		800	50-65	5
0100589		60-622	29 x 2.4	Sport 29er	black/black Skin	3/84		850	50-65	5
0100511		55-559	26 x 2.2	ProTection	black/black Skin foldable	4/240		665	50-65	6
0100855	NEW	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240		700	50-65	6
0100519		55-622	29 x 2.2	ProTection 29er	black/black Skin foldable	4/240		740	50-65	6
0100510		55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180		575	50-65	6
0100857	NEW	55-584	27.5 x 2.2	RaceSport 27.5	black/black Skin foldable	3/180		600	50-65	6
0100518		55-622	29 x 2.2	RaceSport 29er	black/black Skin foldable	3/180		635	50-65	6
0100512		55-559	26 x 2.2	UST	black/black Skin foldable	3/330		850	45-58	6
0150051	NEW	55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	~	685	50-65	6
0150046	NEW	55-622	29 x 2.2	Performance 29er	black/black Skin foldable	3/180	<b>✓</b>	760	50-65	6
0100399		55-559	26 x 2.2	Sport	black/black Skin	3/84		680	50–65	5
0100851	NEW	55-584	27.5 x 2.2	Sport 27.5	black/black Skin	3/84		710	50-65	5
0100586		55-622	29 x 2.2	Sport 29er	black/black Skin	3/84		750	50-65	5

### X-King – The all-around genius!

The X-King model (pronounced cross king) fills the gap between the Race King and Mountain King II. Super-fast, yet extremely grippy, the X-King was developed in conjunction with the Topeak-Ergon MTB pro team. Along with the basic versions in 2.2" und 2.4" widths, the 'made in Korbach' RaceSport and ProTection models come with the impressive BlackChili Compound with its unique combination of grip and fast rolling. Despite the proud tread, the X-King rolls fast and light. The highly puncture resistant ProTection design is perfect for multi-day riding and racing while the weight optimised RS version is more suited to the xc and marathon circuit. Whether a solo or team rider, the X-King is suitable for all types of riding from xc to all-mountain in combination with our Race or Mountain King.











### X-King 2.4/2.2/2.0





Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI GONFOUND	ca	PSI	PU
X-King 2.	4/2.2/2.0									
0100528	=	60-559	26 x 2.4	ProTection	black/black Skin foldable	4/240	(	660	50–65	6
0100909	NEW	60-584	27.5 x 2.4	ProTection 27.5	black/black Skin foldable	4/240	(	715	50-65	6
0100725	=	60-622	29 x 2.4	ProTection 29er	black/black Skin foldable	4/240	(	760	50-65	6
0100527	=	60-559	26 x 2.4	RaceSport	black/black Skin foldable	3/180	(	560	50-65	6
0100899	NEW	60-584	27.5 x 2.4	RaceSport 27.5	black/black Skin foldable	3/180	(	610	50-65	6
0100726	=	60-622	29 x 2.4	RaceSport 29er	black/black Skin foldable	3/180	(	650	50-65	6
0100529		60-559	26 x 2.4	UST	black/black Skin foldable	3/330		780	45–58	6
0150041	NEW	60-559	26 x 2.4	Performance	black/black Skin foldable	3/180	<b>~</b>	660	50–65	6
0150042	NEW	60-622	29 x 2.4	Performance 29er	black/black Skin foldable	3/180	~	735	50-65	6
0100373		60-559	26 x 2.4	Sport	black/black Skin	3/84		780	50–65	5
0100802	NEW	60-584	27.5 x 2.4	Sport 27.5	black/black Skin	3/84		800	50-65	5
0100585		60-622	29 x 2.4	Sport 29er	black/black Skin	3/84		850	50–65	5
0100524	=	55-559	26 x 2.2	ProTection	black/black Skin foldable	4/240	(	595	50–65	6
0100910	NEW	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240	(	620	50–65	6
0100532	=	55-622	29 x 2.2	ProTection 29er	black/black Skin foldable	4/240	(	655	50-65	6
0100523		55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	(	500	50-65	6
0100911	NEW	55-584	27.5 x 2.2	RaceSport 27.5	black/black Skin foldable	3/180	(	525	50-65	6
0100531	=	55-622	29 x 2.2	RaceSport 29er	black/black Skin foldable	3/180	(	555	50-65	6
0100525		55-559	26 x 2.2	UST	black/black Skin foldable	3/330		700	45–58	6
0150002	NEW	55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	<b>~</b>	620	50-65	6
0150045	NEW	55-622	29 x 2.2	Performance 29er	black/black Skin foldable	3/180	<b>~</b>	690	50-65	6
0100371		55-559	26 x 2.2	Sport	black/black Skin	3/84		680	50-65	5
0100912	NEW	55-584	27.5 x 2.2	Sport 27.5	black/black Skin	3/84		710	50-65	5
0100569		55-622	29 x 2.2	Sport 29er	black/black Skin	3/84		750	50-65	5
0100863	NEW	50-559	26 x 2.0	RaceSport	black/black Skin foldable	3/180	(	460	50-65	6
0100861	NEW	50-622	29 x 2.0	RaceSport 29er	black/black Skin foldable	3/180	(	540	50-65	6
0150105	NEW	50-559	26 x 2.0	Performance	black/black Skin foldable	3/180	~	550	50-65	6
0150114	NEW	50-622	29 x 2.0	Performance 29er	black/black Skin foldable	3/180	<b>~</b>	615	50-65	6
0100765	NEW	50-559	26 x 2.0	Sport	black/black Skin	3/84		570	50-65	5
0100932	NEW	50-622	29 x 2.0	Sport 29er	black/black Skin	3/84		710	50-65	5

### Mountain bike tyres

### **Race King 2.2/2.0**



### **World Champions!**

Now considered a legendary tyre, the Race King heralded the advent of the current Continental MTB tyre range. Irina Kalentieva won two World Championships on Race King tyres as well as countless other wins. When it's dry, the Race King is faster, cleaner and safer. Rolling resistance is almost on a par with race bike tyres. The RS and ProTection models are developed and produced in Korbach, Germany with our best materials such as BlackChili Compound and they guarantee significantly better rolling resistance and puncture protection respectively.













### The World Cup king!

Those who are familiar with the XC course in Offenburg know why the Speed King was developed. Hard, dry terrain where only one thing counts, speed. The semislick design is a stripped down tyre designed for minimum rolling resistance and minimal weight. The slightly raised outer tread gives sure grip for cornering at high speed. The central tread is a flat, wedge shaped design, keeping rolling resistance to a minimum, whilst still giving enough traction. The high volume 2.2 RaceSport casing can be ridden with low air pressures and offers reliable puncture protection for racing use. The minimal tread design of the Speed King trades reduced longevity and limited wet weather grip for pure speed. This is a thoroughbred dry weather racing tyre, handmade in Germany!











### Conti RevoSealant

For years Continental tyre sealants have been replacing the spare tyre in many vehicles. This technology has now been further enhanced especially to meet the requirements for use in bicycles and tubes. The ammonium- and protein-free RevoSealant provides reliable sealing for punctures and small cuts without chemically corroding the tyre or tube. The versatile RevoSealant is not only useful for repairs, but can also be used as a preventive measures in tubes, tubular tyres, and tubeless tyres. With suitable tyres, RevoSealant can also be used as a sealant for the Tubeless Ready systems which are popular on MTB's. RevoSealant, which is specially optimized for use in Continental cycle tyres, can be used in temperatures as low as –20° Celsius. Please carefully follow the accompanying assembly instructions.



Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHLI COMBOUT	ca.	PSI	PU
Race King	2.2/2.0									
0100540		55-559	26 x 2.2	ProTection	black/black Skin foldable	4/240	(	580	50-65	6
0100913	NEW	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240	(	610	50-65	6
0100546		55-622	29 x 2.2	ProTection 29er	black/black Skin foldable	4/240		645	50-65	6
0100539		55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180		485	50-65	6
0100914	NEW	55-584	27.5 x 2.2	RaceSport 27.5	black/black Skin foldable	3/180		510	50-65	6
0100545		55-622	29 x 2.2	RaceSport 29er	black/black Skin foldable	3/180	(	535	50-65	6
0100542		55-559	26 x 2.2	UST	black/black Skin foldable	3/330		640	50-65	6
0150033	NEW	55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	<b>~</b>	600	50-65	6
0150036	NEW	55-622	29 x 2.2	Performance 29er	black/black Skin foldable	3/180	<b>~</b>	660	50-65	6
0100129		55-559	26 x 2.2	Sport	black/black Skin	3/84		650	50-65	5
0100915	NEW	55-584	27.5 x 2.2	Sport 27.5	black/black Skin	3/84		700	50-65	5
0100203		55-622	29 x 2.2	Sport 29er	black/black Skin	3/84		750	50-65	5
0100535		50-559	26 x 2.0	RaceSport	black/black Skin foldable	3/180	(	445	50-65	6
0100727		50-622	29 x 2.0	RaceSport 29er	black/black Skin foldable	3/180	(	495	50-65	6
0100537		50-559	26 x 2.0	UST	black/black Skin foldable	3/330		600	50-65	6
0150031	NEW	50-559	26 x 2.0	Performance	black/black Skin foldable	3/180	<b>~</b>	555	50-65	6
0150035	NEW	50-622	29 x 2.0	Performance 29er	black/black Skin foldable	3/180	<b>~</b>	605	50-65	6
0100182		50-559	26 x 2.0	Sport	black/black Skin	3/84		560	50-65	5
0100271		50-622	29 x 2.0	Sport 29er	black/black Skin	3/84		700	50-65	5
Speed Kir	ng 2.2									
0100728		55-559	26 x 2.2	RaceSport	black/black Skin foldable	3/180	(	420	50-65	6
0100933	NEW	55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	(	465	50-65	6

Traffic 2.1/1.9/1.75





### Bikes in the big city jungle.

The profile design was specially developed for everyday MTB use in urban and country areas. The centre bridge profile always provides a comfortable and fast run on the road, whilst its solid construction and robust sidewall make it an optimal companion when braving the dangers of big city road furniture, curbs and traffic.

Also available with a reflective sidewall for added safety.

**Traffic Plus** 





### The Traffic in a bullet-proof vest!

If you are looking for a worry-free tyre for urban MTB commuting, then Traffic Plus is the right choice. The Plus Breaker protects the tyre reliably against all types of foreign objects. Whether glass shards, thorns or gravel, this tyre resists them all. The worry-free variety is ideal for high volume rental bikes or for riders who are not experienced at changing inner tubes.



**Double Fighter II 1.9** 





### For sporty MTB's and Trekking bikes.

Optically appealing to the leisure rider – fast on the road, grippy in the corners. In a sturdy gumwall design for urban biking, it rolls smoothly and quietly on asphalt. Its side lugs provide the necessary traction in the park and on gravel paths. The ideal combination for turning a proven knobbly all-terrain tyre into one good for zipping around the metro area.



### The MTB tyre for true vikings.

Metal studs in the tread bars provide grip on ice and snow. Thanks to its open tread, it has good self-cleaning properties and gets to where it's going in mud and snow. The Spike Claw barely sinks into the surface by virtue of its large volume. Available with either 120 or 240 studs of hardened steel.







Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	COND.	PSI	PU
Traffic 2.1/1.9/1.75								
0100352	47-507	24 x 1.75	Sport	black/black Reflex	3/84	800	45-58	5
0100205	50-559	26 x 1.9	Sport	black/black	3/84	820	50-65	5
0100206	50-559	26 x 1.9	Sport	black/black Reflex	3/84	820	50-65	5
0100207	54-559	26 x 2.1	Sport	black/black	3/84	860	50-65	5
0100208	54-559	26 x 2.1	Sport	black/black Reflex	3/84	860	50-65	5
Traffic Plus 2.1							P	Plus 🕀 👗 )
0100681	54-559	26 x 2.1	Plus Breaker	black/black	3/84	1100	50-65	5
Double Fighter II 1.9								
0115871	50-559	26 x 1.9	Sport	black/black Reflex	3/66	780	50-65	5
0115870	50-559	26 x 1.9	Sport	black/black	3/66	780	50–65	5
Spike Claw 2.1								
0115849	54-559	26 x 2.1	Spike 240	black/black Skin	3/84	900	50-65	5
0115850	54-559	26 x 2.1	Spike 120	black/black Skin	3/84	840	50-65	5

<sup>\*</sup>TPI see page 71



er

Correspond	ing inner tubes			(MA)		S	S	S		
ETRTO	Dimension	Unitube Name		Auto Schrader 40 mm	Blitz Dunlop 40 mm	Sclaverand/Presta/Frz. 42 mm	Sclaverand/Presta/Frz.	Sclaverand/Presta/Frz. 80 mm	ca.	PU
Mountainbike	26"									
47-559 -> 62-559	26 x 1.75 -> 26 x 2.5	MTB 26		0181611	0181621	0181631	0181671	_	200	25
47-559 -> 62-559	20 X 1.75 -> 20 X 2.5	MTB 26 Light				0181681			125	25
47-559 -> 55-559	26 x 1.75 -> 26 x 2.2	MTB 26 Supersonic				0181691			100	25
57-559 -> 70-559	26 x 2.3 -> 26 x 2.7	MTB 26 Freeride		0181721		0181731			285	25
57-559 -> 70-559	20 X 2.3 -> 20 X 2.7	MTB 26 Downhill		0181771					435	25
Mountainbike	27.5"									
47.504 - 60.504	27.5 x 1.75 -> 27.5 x 2.4	MTB 27.5	NEW	0182331		0182311			235	25
47-584 -> 60-584	21.5 X 1.75 -> 21.5 X 2.4	MTB 27.5 Light	NEW			0182341			145	25
Mountainbike	29"									
47.600 - 60.600	00 / 00 v 1 75 v 00 / 00 v 0 5	MTB 29		0182171		0182181	0182191		225	25
47-622 -> 62-622	28 / 29 x 1.75 -> 28 / 29 x 2.5	MTB 29 Light	NEW			0182321	0182201		160	25

# Mountain bike tyres

**Gravity 2.3** 





### Biking pleasure on all trails.

Tyres with the width 2.3 are versatile. They can be used on forestry centre trails as well as daring downhill descents. The round tyre cross-section typical for Continental and the GravityArc™ tread lead to playful handling. The tyre can be turned easily in curves and reliably sinks its claws into loose surfaces. The Gravity's aggressive appearance does not contradict its running smoothness – an advantage that is appreciated especially on asphalt stretches. Incidentally, it's the tyre selected by a certain Greg "HB" Herbold.

Vapor 2.1





The Marathon specialist.

Designed as an intermediate tyre for cross country trail riding and racing, the Vapor concentrates on fast rolling, using the Gravity Arc tread design. Wide centre lugs keep the tyre rolling fast whilst the Arcs (lug bases) in the shoulders create stable handling under cornering for predictable handling.

Vertical 2.3





### The modern classic.

The Vertical has everything a classic tyre needs. It is at home on all trails, really showing what it can do when the terrain turns rugged. Still the top choice for tours in Alpine terrain where low weight and high puncture protection are paramount. What the press say "If we were to choose one tyre to serve us all year round, it would be the Continental Vertical ProTection ... We know riders who swear by these tyres and we can see why ..." MBR Magazine.

**Explorer 2.1/1.75** 





### The all-round athlete.

Exceptionally successful intermediate cross country tyre. Its spikey "Endless Edge" tread design hooks up on loose surfaces at all angles of lean and the sharp lugs clear mud efficiently for when the sky opens and the trails get rainswept. For the racers of tomorrow, the Explorer is available in smaller sizes for children's bikes.

### Serving the community.

Police bike squadrons throughout the world use the Town & Country. Its high mileage, puncture resistance and last but not least low rolling resistance help make the streets a safer place.







Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	URE CAIF	PSI	PU
Gravity 2.3								
0116017	57-559	26 x 2.3	Sport	black/black Skin	3/84	770	50-65	5
Vapor 2.1								
0115854	54-559	26 x 2.1	Sport	black/black Skin	3/84	715	50-65	5
Vertical 2.3								
0116008	57-559	26 x 2.3	Sport	black/black Skin	3/84	730	50-65	5
Explorer 2.1/1.75								
0102501	47-305	16 x 1.75	Sport	black/black	3/84	425	50-65	5
0105501	47-406	20 x 1.75	Sport	black/black	3/84	560	50-65	5
0109002	47-507	24 x 1.75	Sport	black/black	3/84	680	50-65	5
0115715	54-559	26 x 2.1	Sport	black/black Skin	3/84	620	50-65	5
Town & Country 2.1/1.9								
0122294	47-559	26 x 1.9	Sport	black/black Skin	3/84	650	50-65	5
0115800	54-559	26 x 2.1	Sport	black/black Skin	3/84	730	50-65	5





### The TOP CONTACT Family

- Our premium line for the highest quality standards
- Newest technology and hand-picked materials
- 3/180 TPI carcass
- Vectran™ Breaker or PolyX Breaker®

### The **CONTACT** Family

- Performance tyres for the ambitious cyclist
- 3/180 TPI carcass
- SafetyPlus Breaker or SafetySystem Breaker


# The RIDE Family • Quality for daily use

- 3/66 TPI carcass
- Puncture ProTection Breaker

### The **Plus** Family

- Plus Breaker for maximum puncture-protection
- Tread designs for various riding surfaces
- Tough 3/66 or 3/84 TPI carcass

	Puncture Resistance	Rolling resistance	Page		Gravel	Mixed	Street	
Segment	(low to high)	(high to low)	-	City-/Trekking tyres		2	S	Technology  Vector™
			48	Top CONTACT II				Vectran™ BREAKER
Allround			50	CONTACT II				<i>i</i> SafetySystem €
			57	Tour RIDE				Puncture ProTection
			49	Top CONTACT Winter II Premium				Vectran <sup>™</sup>
Winter			49	Top CONTACT Winter II				Poly Breaker®
			49	Nordic Spike				Puncture ProTection
Globetrotter			51	Travel CONTACT				<b>ĕ</b> SafetySystem
Ballon			52	Cruise CONTACT				<b>്</b> SafetySystem
Ballon			53	Retro RIDE				Puncture ProTection
SpeedBike			51	Sport CONTACT				<b>ĕ</b> SafetySystem
E-Bike			50	E.CONTACT				👗 Safety 🕀
0''			54	Town RIDE				Puncture ProTection
City			54	City RIDE II				Puncture ProTection
Our a Tradition			55	Speed RIDE				Puncture ProTection
CrossTrekking			55	Cross RIDE				Puncture ProTection
			60	Traffic Plus				Plus + 👗
			60	Country Plus				Plus 🕀 👗
Plus			61	Touring Plus				Plus + 🍝
			61	Super Sport Plus				Plus 🕀 👗



12"	16"		20"		24"					26"									28"				1	77	5	9	
62-203	47-305	28-406	37-406	47-406	47-507	32-559	42-559	47-559	50-559	54-559	55-559	37-584	42-584	54-584	37-590	28-622	32-622	37-622	42-622	47-622	50-622	55-622	28-630	32-630	37-635	42-635	City-/Trekking tyres
									•							•	•	•	•	•							Top CONTACT II
			•	•				•								•	•	•	•	•							CONTACT II
•	•			•	•			•				•	•	•		•	•	•	•	•				•	•	•	Tour RIDE
									•		•							•	•								Top CONTACT Winter II Premium
									•		•							•	•								Top CONTACT Winter II
							•																				Nordic Spike
								•	•									•	•		•						Travel CONTACT
									•		•										•	•					Cruise CONTACT
									•		•										•	•					Retro RIDE
		•				•	•		•							•	•	•									Sport CONTACT
								•										•	•								E.CONTACT
								•										•	•	•							Town RIDE
								•							•		•	•	•	•							City RIDE II
																			•								Speed RIDE
																			•								Cross RIDE
										•																	Traffic Plus
								•	•									•	•	•							Country Plus
					•			•								•	•	•	•	•						•	Touring Plus
																•							•	•			Super Sport Plus
Compact 12	Compact 16		Compact 20		Compact 24	Tour 26 Slim	Tour 26 All	5	Tour 26 Wide	(Hermetic	(epi -	T 00 21.01	ווא אל וויסו	Tour 26 Wide	Tour 26 All	000	1001 Zo SIIII		Tour 28 All		F 27 00 27 12 E	iour 28 Wide		Tour 28 1 1/2			

### **Top CONTACT II**



### The reference in the touring tyre.

The ultimate tyre for touring cyclists – Handmade in Germany. Thanks to the distinct centre tread and bionically designed, siped shoulders, it guarantees outstanding handling on all types of surfaces. The new, further developed tread mixture is super-fast and at the same time, durable and skid-resistant. The foldable version makes it even lighter and easier-to-mount. The fine, cut-resistant nylon carcass, the practically impenetrable Vectran<sup>TM</sup> Breaker and real German handwork all remain in this updated version.

Vectran™





Article			ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
Top CONT	TACT II										
0100442			50-559	26 x 2.0	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	725	45–58	10
0100615	NEW		28-622	700x28C (700C)	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	560	80-102	10
0100573	NEW		32-622	700x32C (700C)	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	580	70–85	10
0100441			37-622	28 x 1 3/8 x 1 5/8	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	610	58-85	10
0100358			42-622	28 x 1.6	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	700	50-85	10
0100439			47-622	28 x 1.8	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	790	45–58	10
Top CONT	TACT Wi	nter II F	Premium								
0100712			50-559	26 x 1.9	Vectran Breaker	black/black Skin foldable Reflex	3/180	୲	660	45–58	10
0100715			55-559	26 x 2.2	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	750	45–58	10
0100713			37-622	28 x 1 3/8 x 1 5/8	Vectran Breaker	black/black Skin foldable Reflex	3/180	୲	530	58-85	10
0100714			42-622	28 x 1.6	Vectran Breaker	black/black Skin foldable Reflex	3/180	ೕ	630	50-85	10
Top CONT	TACT Wi	nter II									
0100324			50-559	26 x 1.9	PolyX Breaker	black/black Skin Reflex	3/180	ೕ	710	45–58	10
0100617			55-559	26 x 2.2	PolyX Breaker	black/black Skin Reflex	3/180	ೕ	800	45–58	10
0100325			37-622	28 x 1 3/8 x 1 5/8	PolyX Breaker	black/black Skin Reflex	3/180	୲	580	58-85	10
0100616			42-622	28 x 1.6	PolyX Breaker	black/black Skin Reflex	3/180	୲	680	50-85	10
Nordic Sp	ike										
0125622			42-622	28 x 1.6	Spike 240	black/black	3/66		900	50-65	5
0125623			42-622	28 x 1.6	Spike 120	black/black	3/66		850	50-65	5

### Perfect traction for the cold winter months!

We have optimised the Top CONTACT Winter II further, refining it with a Vectran™ Breaker anti-puncture belt beneath the tread, as well as giving it a foldable bead. This optimises its weight reducing the rolling resistance thus increasing speed & handling characteristics. The tread mixture is directly based on our PKW snow tyres. The tyre operates at its best at temperatures between −25° and +7° C. Where other mixtures no longer have any grip, the Top CONTACT Winter II Premium's proven compound and tread pattern intermeshes with snow and cold, wet surfaces very well. Here the tyre is even more superior to spiked tyres which cannot straighten up on snow and shovelled streets. The reflective tyres provide additional safety in the dark winter nights and dusky days. Handmade in Germany!

### Vectran™



### For the northern winter.

We contribute all of our know-how as one of the leading automotive winter tyre producers into the new TopContact Winter II. And it shows. The tread design's outer appearance alone is convincing due to its never-ending grip. Thanks to countless lamellae, hundreds of biting edges permanently interlock with the surface. The tread compound that is adapted specifically to cold temperatures will even continue to get you going when other bike riders are spinning their wheels.





The winter tyre for grip on the ice!

Available with 120 or 240 studs of hardened steel, perfect for riding on icy surfaces.

### **Top CONTACT Winter II Premium**





### **Top CONTACT Winter II**





Nordic Spike



### **E.CONTACT**





### An energetic cosmopolitan!

Tyres need to be a safe and reliable component on every bicycle. The higher speeds (of up to 50 km/h) and additional weight from the battery and drive system of an e-bike necessitate a specially designed tyre. A high quality reinforced casing (3 plies/180 TPI) with additional rubber forms the solid basis of the E.CONTACT. The SafetyPlus puncture protection, specially developed for the higher demands on e-bike tyres, provides reliable protection against punctures and cuts, avoiding expensive puncture repairs. The E.CONTACT tyre gives a smooth ride and with minimal rolling resistance thanks to the high elasticity of the rubber compound. This is a great all-round tyre which is home on tarmac as well as on gravel and forest trails.





### **CONTACT II**





### Speed, security and comfort – guaranteed!

The design brief for this tyre was to make it functional, sporty and secure. The grooves on the new three dimensional tread profile are arranged so that it stops foreign objects from getting stuck in them. A special lamellar structure provides sure grip and optimal contact with the ground. This tyre rolls fast and does its job as a puncture proof, all-round tyre. Naturally, it comes with the proven SafetySystem Breaker and reflective strips – as an option.






Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
E.CONTACT									
0100686	47-559	26 x 1.75	SaftyPlus Breaker	black/black Skin Reflex	3/180	◯⋑	935	45–58	10
0100687	37-622	28 x 1 3/8 x 1 5/8	SaftyPlus Breaker	black/black Skin Reflex	3/180	◯⋑	790	56-85	10
0100688	42-622	28 x 1.6	SaftyPlus Breaker	black/black Skin Reflex	3/180	◯⋑	930	50-85	10
CONTACT II									
0100276	37-406	20 x 1.40	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	420	56-70	10
0100278	47-406	20 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	550	45–58	10
0100264	47-559	26 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	720	45–58	10
0100281	28-622	28 x 1.10	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	500	80-102	10
0100261	32-622	28 x 1 1/4 x 1 3/4	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	520	70-85	10
0100262	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	600	56-85	10
0100209	42-622	28 x 1.6	SafetySystem Breaker	black/black Reflex	3/180		700	50-85	10
0100263	47-622	28 x 1.75	SafetySystem Breaker	black/black Reflex	3/180	◯⋑	780	45-58	10

### The globetrotter.

You can't develop a tyre for globetrotters on the drawing board. So that is why all of Tilmann Waldthaler's experience has been put to use in the development of the TravelContact. His requirements were obvious: a robust carcass with a high carrying capacity and protection against chafing and cuts, effective puncture resistance and last but not least, a tread that makes it possible to explore paths around the world quickly and safely. A foldable version is of course also available to take along as a spare. The TravelContact is ideal for touring all kinds of routes – along the Weser river in Germany or the best bikespots in the world.



### **Traffic signal sprinter!**

The Sport CONTACT turns any bike into a racer. The 26" version helps the bike messenger meet those deadlines while the 700C tyre gets the fitness biker into a speed frenzy. All this added speed for your bike with zero detriment to puncture protection and reliability!



### **Travel CONTACT**







### Sport CONTACT

		TOT Discome
	Sport Sport	ONTACTO
3		

Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
Travel CONTACT									
0111339	47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin	3/180	(I∋D	690	50-80	5
0111340	47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin Reflex	3/180	(I∋D	690	50-80	5
0111352	47-559	26 x 1.75	SafetySystem Breaker	black/DuraSkin foldable	3/180	(I∋D	630	50-80	5
0100495	50-559	26 x 2.0	SafetySystem Breaker	black/DuraSkin	3/180		700	45–58	5
0100498	50-559	26 x 2.0	SafetySystem Breaker	black/DuraSkin Reflex	3/180	ೕ	700	45–58	5
0122277	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin	3/180	ೕ	580	56–85	5
0122278	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin Reflex	3/180	ೕ	580	56–85	5
0122293	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/DuraSkin foldable	3/180	ೕ	550	56-85	10
0125625	42-622	28 x 1.6	SafetySystem Breaker	black/DuraSkin	3/180	ೕ	650	50-85	5
0125626	42-622	28 x 1.6	SafetySystem Breaker	black/DuraSkin Reflex	3/180	ೕ	650	50-85	5
0100501	50-622	28 x 2.0	SafetySystem Breaker	black/DuraSkin	3/180	ೕ	700	45–58	5
0100496	50-622	28 x 2.0	SafetySystem Breaker	black/DuraSkin Reflex	3/180	ೕ	700	45–58	5
Sport CONTACT									
0105003	28-406	20 x 1.10	SafetySystem Breaker	black/black Skin	3/180	ೕ	295	80-102	10
0105005	28-406	20 x 1.10	SafetySystem Breaker	black/black Skin Reflex	3/180	ೕ	295	80-102	10
0110502	32-559	26 x 1.3	SafetySystem Breaker	black/black Skin	3/180	ೕ	450	70–85	10
0110503	32-559	26 x 1.3	SafetySystem Breaker	black/black Skin Reflex	3/180	ೕ	450	70–85	10
0110701	42-559	26 x 1.6	SafetySystem Breaker	black/black Skin	3/180	ೕ	500	65–80	10
0110702	42-559	26 x 1.6	SafetySystem Breaker	black/black Skin Reflex	3/180	ೕ	500	65–80	10
0100158	50-559	26 x 1.9	SafetySystem Breaker	black/black Skin	3/180	ೕ	550	45–58	10
0121209	28-622	28 x 1.10	SafetySystem Breaker	black/black Skin	3/180	ೕ	460	80-102	10
0121210	28-622	28 x 1.10	SafetySystem Breaker	black/black Skin Reflex	3/180	ೕ	460	80-102	10
0122112	32-622	28 x 1 1/4 x 1 3/4	SafetySystem Breaker	black/black Skin	3/180	ೕ	480	70–85	10
0122113	32-622	28 x 1 1/4 x 1 3/4	SafetySystem Breaker	black/black Skin Reflex	3/180		480	70–85	10
0122287	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Skin	3/180		520	70-85	10
0122289	37-622	28 x 1 3/8 x 1 5/8	SafetySystem Breaker	black/black Skin Reflex	3/180		520	70–85	10

### **Cruise CONTACT**



### Size does matter.

The Cruise Contact combines impressive comfort, a smooth ride and security. The large air volume provides a impressive 'suspension' effect and the dynamic tread profile provides safe riding on the most uneven of roads. Speed and puncture protection comes from the tried and tested design of the Contact tyre family; its fine nylon casing and SafetySystem Breaker. The high volume dimensions across the sizing range gives all the benefits of a balloon tyre. Available in new colours and sizes for 2014.





Article		ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
Cruise CO	ONTACT									
0100872	NEW	50-559	26 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	<b>&gt;</b>	915	45–58	10
0100874	NEW	50-559	26 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	<b>&gt;</b>	915	45–58	10
0100454		50-559	26 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	<b></b>	915	45–58	10
0100877	NEW	55-559	26 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	<b></b>	960	45–58	10
0100875	NEW	55-559	26 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180	<b></b>	960	45–58	10
0100699	NEW	55-559	26 x 2.2	SafetySystem Breaker	black/black Reflex	3/180		960	45-58	10
0100878	NEW	50-622	28 x 2.0	SafetySystem Breaker	creme/creme Reflex	3/180	<b></b>	930	45–58	10
0100883	NEW	50-622	28 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180	<b></b>	930	45–58	10
0100476		50-622	28 x 2.0	SafetySystem Breaker	black/black Reflex	3/180	<b></b>	930	45–58	10
0100879	NEW	55-622	28 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180	ೕ	980	45–58	10
0100882	NEW	55-622	28 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180		980	45–58	10
0100701	NEW	55-622	28 x 2.2	SafetySystem Breaker	black/black Reflex	3/180		980	45–58	10
Retro RID	DE									
0100455		50-559	26 x 2.0	Puncture ProTection	creme/creme Reflex	3/66		880	45–58	10
0100886	NEW	50-559	26 x 2.0	Puncture ProTection	grey/grey Reflex	3/66		880	45–58	10
0100885	NEW	50-559	26 x 2.0	Puncture ProTection	black/black Reflex	3/66		880	45–58	10
0100602	NEW	55-559	26 x 2.2	Puncture ProTection	creme/creme Reflex	3/66		920	45–58	10
0100887	NEW	55-559	26 x 2.2	Puncture ProTection	grey/grey Reflex	3/66		950	45–58	10
0100888	NEW	55-559	26 x 2.2	Puncture ProTection	black/black Reflex	3/66		920	45–58	10
0100469		50-622	28 x 2.0	Puncture ProTection	creme/creme Reflex	3/66		950	45–58	10
0100892	NEW	50-622	28 x 2.0	Puncture ProTection	grey/grey Reflex	3/66		950	45–58	10
0100893	NEW	50-622	28 x 2.0	Puncture ProTection	black/black Reflex	3/66		950	45–58	10
0100605	NEW	55-622	28 x 2.2	Puncture ProTection	creme/creme Reflex	3/66		990	45–58	10
0100891	NEW	55-622	28 x 2.2	Puncture ProTection	grey/grey Reflex	3/66		950	45–58	10
0100889	NEW	55-622	28 x 2.2	Puncture ProTection	black/black Reflex	3/66		990	45-58	10

<sup>\*</sup>TPI see page 71

**Retro RIDE** Ride with Style.

The cool graphics make the Retro Ride stand out. Offered in a stylish grey or cream finish, its tread profile is based on that of the renowned Conti KKS 10 moped tyre. Beneath the stylish outer casing it has all the qualities which go into making a top touring tyre; robust puncture ProTection, high durability and good grip. Now available in the new sizes 55-559 and 55-622.









### **Town RIDE**



### Routinely to your destination.

The Town RIDE stands for dynamics and safety. Cyclists appreciate its closed tread band in the centre and the skid-resistant profile blocks in the shoulder. Dynamics and safety also in the design. The light skin wall sidewall saves weight and reduces the rolling resistance. Continental Puncture ProTection reliably provides for necessary puncture defenses.





### **City RIDE II**





### The stylish metropolitan.

Comfortable and safe cycling in the city with the City RIDE II for the simply pleasure of riding. Its new profile design provides a greater contact area on the road and lower rolling resistance. The puncture protection insert helps prevent unnecessary delays on the way to work or on your shopping trips.









### Speed on all terrains.

The Speed RIDE is the specialist for fast riding on harder surfaces. Whether asphalt, gravel or forest paths, thanks to the diamond-coated tread, the tyre rolls off quickly and quietly. Its shoulder lugs give the necessary grip in cornering and with a folding bead version, all important weight is reduced further on the sporty 'cross commuter bike'. Optional reflective strips for more safety. Continental Puncture ProTection supplies adequate resistance to flats.



# Speed RIDE @ married to the transmission of th

### The multitalented.

In the MTB world, it is celebrated a fast allrounder. Now the X-King has an option for today's, more versatile cross bike. Thanks to the offset centre lugs, the tyre rolls well on all types of underground. The raised outer lugs with their renowned design and arrangement provide the grip that you would expect for an off-road tyre. The tyre is the first choice for everyone who wants an assured level of grip on the wide variety of terrains that these bikes are capable of riding on. No matter where the trip takes you, the Cross RIDE with Puncture ProTection is your constant companion.



### **Cross RIDE**

Speed RIDE





Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
Town RIDE									
0100124	47-559	26 x 1.75	Puncture ProTection	black/black Skin Reflex	3/66		530	45–58	10
0100125	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/black Skin Reflex	3/66		480	56-70	10
0100126	42-622	28 x 1.6	Puncture ProTection	black/black Skin Reflex	3/66		550	50-65	10
0100127	47-622	28 x 1.75	Puncture ProTection	black/black Skin Reflex	3/66		580	45–58	10
City RIDE II									
0100703	47-559	26 x 1.75	Puncture ProTection	black/black Reflex	3/66		760	45–58	10
0100704	37-590	26 x 1 3/8	Puncture ProTection	black/black Reflex	3/66		600	56-70	10
0100705	37-590	26 x 1 3/8	Puncture ProTection	black/white	3/66		600	56-70	10
0100707	32-622	28 x 1 1/4 x 1 3/4	Puncture ProTection	black/black Reflex	3/66		560	65-80	10
0100706	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/black Reflex	3/66		630	56-70	10
0100708	42-622	28 x 1.6	Puncture ProTection	black/black Reflex	3/66		720	50-65	10
0100709	47-622	28 x 1.75	Puncture ProTection	black/black Reflex	3/66		830	45–58	10
Speed RIDE									
0100717	42-622	28 x 1.6	Puncture ProTection	black/black Skin foldable	3/84		420	50-85	10
0100716	42-622	28 x 1.6	Puncture ProTection	black/black Skin Reflex	3/84		490	50-85	10
Cross RIDE									
0100719	42-622	28 x 1.6	Puncture ProTection	black/black Skin foldable	3/84		420	50-85	10
0100718	42-622	28 x 1.6	Puncture ProTection	black/black Skin Reflex	3/84		490	50-85	10

### **City-/Trekking tyres**

56

Tourist   Tour	Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
10002067	Tour RIDE									
1612503	0100102	62-203	12 x 2.5	Puncture ProTection	black/black	3/66	(P)	350	45–58	10
0000000	0100497	47-305	16 x 1.75	Puncture ProTection	black/black	3/66		400	45–58	10
1005603	0102503	47-305	16 x 1.75	Puncture ProTection	black/black Reflex	3/66	(P)	400	45–58	10
0100086   47-406   20 x 1.75	0100500	47-406	20 x 1.75	Puncture ProTection	black/black	3/66	(P)	450	45–58	10
0109003	0105603	47-406	20 x 1.75	Puncture ProTection	black/black Reflex	3/66		450	45–58	10
DITIGNO   47-507   24 x 1.75   Puncture ProTection   black/black Reflex   3/86   7.75   45-58   10	0100096	47-406	20 x 1.75	Puncture ProTection	black/white	3/66	(D)	450	45–58	10
0100097	0109003	47-507	24 x 1.75	Puncture ProTection	black/black	3/66	(P)	735	45–58	10
0111074	0109004	47-507	24 x 1.75	Puncture ProTection	black/black Reflex	3/66	(P)	735	45–58	10
0111075 47-559 26 x 1.75 Puncture ProTection black/black Reflex 3/66 ○ 835 45-58 10 1011076 47-559 26 x 1.75 Puncture ProTection black/white 3/66 ○ 835 45-58 10 1011078 47-559 26 x 1.75 Puncture ProTection black/white 3/66 ○ 835 45-58 10 1010305 37-584 26 x 1.78 Puncture ProTection black/white 3/66 ○ 600 58-70 10 1011348 42-584 26 x 1.1/2 Puncture ProTection black/white 3/66 ○ 720 50-55 10 1011349 42-584 26 x 1.1/2 Puncture ProTection black/black 3/66 ○ 720 50-65 10 1011349 42-584 26 x 1.1/2 Puncture ProTection black/black 3/66 ○ 720 50-65 10 10100100 54-584 26 x 1.1/2 Puncture ProTection black/black 3/66 ○ 800 45-58 10 1000101 54-584 26 x 1.1/2 Puncture ProTection black/black 3/66 ○ 800 45-58 10 1000101 54-584 28 x 1.1/2 Puncture ProTection black/black Peffex 3/66 ○ 800 45-58 10 100023 28-622 28 x 1.10 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 100023 28-622 28 x 1.10 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1010223 28-622 28 x 1.10 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012230 32-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012239 32-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012239 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3/66 ○ 600 70-80 10 1012229 37-622 28 x 1.1/4 x 1.3/4 Puncture ProTection black/black Peffex 3	0100097	47-507	24 x 1.75	Puncture ProTection	black/white	3/66	(P)	735	45–58	10
0111076 47-559 26 x 1.75 Puncture ProTection black/white 3/66	0111074	47-559	26 x 1.75	Puncture ProTection	black/black	3/66	୲	835	45–58	10
0111078	0111075	47-559	26 x 1.75	Puncture ProTection	black/black Reflex	3/66	୲	835	45–58	10
0100305   37-584   26 x 1 3/8 x 1 1/2   Puncture ProTection   black/white   3/66   ○ 660   56-70   10     0111348   42-584   26 x 1 1/2   Puncture ProTection   black/black   3/66   ○ 720   50-65   10     0111349   42-584   26 x 1 1/2   Puncture ProTection   black/black Reflex   3/66   ○ 720   50-65   10     0100100   54-584   26 x 1 1/2 x 2   Puncture ProTection   black/black   3/66   ○ 800   45-58   10     0100101   54-584   26 x 1 1/2 x 2   Puncture ProTection   black/black   3/66   ○ 800   45-58   10     0100222   28-5822   28 x 1.10   Puncture ProTection   black/black   3/66   ○ 800   45-58   10     0100223   28-622   28 x 1.10   Puncture ProTection   black/black   3/66   ○ 600   70-80   10     0102231   28-622   28 x 1.1/4 x 13/4   Puncture ProTection   black/black   3/66   ○ 600   70-80   10     0121207   32-622   28 x 1.1/4 x 13/4   Puncture ProTection   black/black   3/66   ○ 650   70-80   10     0121208   32-622   28 x 1.1/4 x 13/4   Puncture ProTection   black/black   Reflex   3/66   ○ 650   70-80   10     0100238   32-622   28 x 1.1/4 x 13/4   Puncture ProTection   black/black   Reflex   3/66   ○ 650   70-80   10     01022391   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 650   70-80   10     0122291   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122292   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122293   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122299   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122299   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122299   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   Reflex   3/66   ○ 670   56-70   10     0122299   37-622   28 x 1.3/8 x 1.5/8   Puncture ProTection   black/black   3/66   ○ 670	0111076	47-559	26 x 1.75	Puncture ProTection	black/white	3/66	୲	835	45–58	10
0111348 42-584 26 x 1 1/2 Puncture ProTection black/black 8/66   720 50-65 10 011349 42-584 28 x 1 1/2 Puncture ProTection black/black Reflex 3/66   720 50-65 10 0100100 54-584 28 x 1 1/2 x 2 Puncture ProTection black/black 3/66   800 45-58 10 0100101 54-584 28 x 1 1/2 x 2 Puncture ProTection black/black 8/66   800 45-58 10 010022 28-622 28 x 1.0 Puncture ProTection black/black 3/66   600 70-80 10 0100223 28-622 28 x 1.0 Puncture ProTection black/black 8/66   800 70-80 10 0100223 28-622 28 x 1 1/4 x 1 3/4 Puncture ProTection black/black 8/66   600 70-80 10 0121207 32-622 28 x 1 1/4 x 1 3/4 Puncture ProTection black/black 8/66   600 70-80 10 0121208 32-622 28 x 1 1/4 x 1 3/4 Puncture ProTection black/black 8/66   650 70-80 10 0121209 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   650 70-80 10 0122291 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0122299 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0102258 3-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0102259 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0102259 37-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0102258 3-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 0102258 3-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 010258 3-622 28 x 1 3/8 x 1 5/6 Puncture ProTection black/black 8/66   670 56-70 10 010258 3-622 28 x 1 3/6 P	0111078	47-559	26 x 1.75	Puncture ProTection	black/brown	3/66	୲	835	45–58	10
0111349	0100305	37-584	26 x 1 3/8 x 1 1/2	Puncture ProTection	black/white	3/66	୲	660	56–70	10
100100	0111348	42-584	26 x 1 1/2	Puncture ProTection	black/black	3/66	(P)	720	50-65	10
Display	0111349	42-584	26 x 1 1/2	Puncture ProTection	black/black Reflex	3/66	(P)	720	50-65	10
0100222   28-622   28 x 1.10   Puncture ProTection   black/black   3/66   600   70-80   10	0100100	54-584	26 x 1 1/2 x 2	Puncture ProTection	black/black	3/66	୲	800	45–58	10
0100223   28-622   28 x 1.10   Puncture ProTection   black/black Reflex   3/66	0100101	54-584	26 x 1 1/2 x 2	Puncture ProTection	black/black Reflex	3/66	୲	800	45–58	10
Dit21207   32-622   28 x 1 1/4 x 1 3/4   Puncture ProTection   black/black   3/66	0100222	28-622	28 x 1.10	Puncture ProTection	black/black	3/66	୲	600	70–80	10
0121208         32-622         28 x 1 1/4 x 1 3/4         Puncture ProTection         black/black Reflex         3/66         ● 650         70-80         10           0100089         32-622         28 x 1 1/4 x 1 3/4         Puncture ProTection         black/white         3/66         ● 650         70-80         10           0122291         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black Reflex         3/66         ● 670         56-70         10           0122292         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black Reflex         3/66         ● 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ● 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ● 670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ● 670         56-70         10           010258         37-622         28 x 1.3/8 x 1 5/8         Puncture ProTection         black/black Reflex         3/66         ● 670	0100223	28-622	28 x 1.10	Puncture ProTection	black/black Reflex	3/66		600	70–80	10
0100089         32-622         28 x 1 1/4 x 1 3/4         Puncture ProTection         black/white         3/66         ◆ 650         70-80         10           0122291         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black         3/66         ◆ 670         56-70         10           0122292         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black Reflex         3/66         ◆ 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/white         3/66         ◆ 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ◆ 670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         ◆ 670         56-70         10           010258         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme Reflex         3/66         ◆ 670         56-70         10           0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         ◆ 770         50-65	0121207	32-622	28 x 1 1/4 x 1 3/4	Puncture ProTection	black/black	3/66	୲	650	70–80	10
0122291         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black         3/66         670         56-70         10           0122292         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black Reffex         3/66         670         56-70         10           0122297         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black         3/66         670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         670         56-70         10           010258         37-622         28 x 1 5/8         Puncture ProTection         creme/creme Reflex         3/66         670         56-70         10           0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         770         50-65         10           0100364         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         770         50-65         10	0121208	32-622	28 x 1 1/4 x 1 3/4	Puncture ProTection	black/black Reflex	3/66	୲	650	70–80	10
0122292         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/black Reflex         3/66         ● 670         56-70         10           0122297         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/white         3/66         ● 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         ● 670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         ● 670         56-70         10           0102583         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme Reflex         3/66         ● 670         56-70         10           0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         ● 770         50-65         10           010364         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         ● 770         50-65         10           0111346         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         ● 940         45-58 <td< td=""><td>0100089</td><td>32-622</td><td>28 x 1 1/4 x 1 3/4</td><td>Puncture ProTection</td><td>black/white</td><td>3/66</td><td>◯⋑</td><td>650</td><td>70–80</td><td>10</td></td<>	0100089	32-622	28 x 1 1/4 x 1 3/4	Puncture ProTection	black/white	3/66	◯⋑	650	70–80	10
0122297         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/white         3/66         ◆ 670         56-70         10           0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ◆ 670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         ◆ 670         56-70         10           010258         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme Reflex         3/66         ◆ 670         56-70         10           0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         ◆ 770         50-65         10           0125628         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         ◆ 770         50-65         10           010364         42-622         28 x 1.75         Puncture ProTection         black/black         3/66         ◆ 770         50-65         10           0111346         47-622         28 x 1.75         Puncture ProTection         black/black         3/66         ◆ 940         45-58         10      <	0122291	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/black	3/66	୲	670	56–70	10
0122298         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         black/brown         3/66         ● 670         56-70         10           0122299         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme         3/66         ● 670         56-70         10           0100258         37-622         28 x 1 3/8 x 1 5/8         Puncture ProTection         creme/creme Reflex         3/66         ● 670         56-70         10           0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         ● 770         50-65         10           0125628         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         ● 770         50-65         10           0100364         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         ● 770         50-65         10           0111346         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         ● 940         45-58         10           0111353         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         ● 940         45-58         10	0122292	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/black Reflex	3/66	ೕ	670	56–70	10
0122299       37-622       28 x 1 3/8 x 1 5/8       Puncture ProTection creme/creme       3/66       ◆ 670       56-70       10         0100258       37-622       28 x 1 3/8 x 1 5/8       Puncture ProTection creme/creme Reflex       3/66       ◆ 670       56-70       10         0125627       42-622       28 x 1.6       Puncture ProTection black/black       3/66       ◆ 770       50-65       10         0125628       42-622       28 x 1.6       Puncture ProTection creme/creme Reflex       3/66       ◆ 770       50-65       10         0100364       42-622       28 x 1.6       Puncture ProTection creme/creme Reflex       3/66       ◆ 770       50-65       10         0111346       47-622       28 x 1.75       Puncture ProTection black/black       3/66       ◆ 940       45-58       10         0111347       47-622       28 x 1.75       Puncture ProTection black/black Reflex       3/66       ◆ 940       45-58       10         0111353       47-622       28 x 1.75       Puncture ProTection black/black Reflex       3/66       ◆ 940       45-58       10         0110354       47-622       28 x 1.75       Puncture ProTection black/black       3/66       ◆ 940       45-58       10         0100236       <	0122297	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/white	3/66	ೕ	670	56–70	10
0100258       37-622       28 x 1 3/8 x 1 5/8       Puncture ProTection creme/creme Reflex       3/66       ◆ 670       56-70       10         0125627       42-622       28 x 1.6       Puncture ProTection black/black       3/66       ◆ 770       50-65       10         0125628       42-622       28 x 1.6       Puncture ProTection black/black Reflex       3/66       ◆ 770       50-65       10         0100364       42-622       28 x 1.6       Puncture ProTection creme/creme Reflex       3/66       ◆ 770       50-65       10         0111346       47-622       28 x 1.75       Puncture ProTection black/black       3/66       ◆ 940       45-58       10         0111347       47-622       28 x 1.75       Puncture ProTection black/black Reflex       3/66       ◆ 940       45-58       10         0111353       47-622       28 x 1.75       Puncture ProTection black/white       3/66       ◆ 940       45-58       10         0110354       47-622       28 x 1.75       Puncture ProTection black/black       3/66       ◆ 940       45-58       10         0100236       47-622       28 x 1.75       Puncture ProTection black/black       3/66       ◆ 940       45-58       10         0100090       32-630	0122298	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	black/brown	3/66	ೕ	670	56–70	10
0125627         42-622         28 x 1.6         Puncture ProTection         black/black         3/66         → 770         50-65         10           0125628         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         → 770         50-65         10           0100364         42-622         28 x 1.6         Puncture ProTection         creme/creme Reflex         3/66         → 770         50-65         10           0111346         47-622         28 x 1.75         Puncture ProTection         black/black         3/66         → 940         45-58         10           0111347         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         → 940         45-58         10           0111353         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         → 940         45-58         10           0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         → 940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         black/black         3/66         → 940         45-58         10           01000	0122299	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	creme/creme	3/66	ೕ	670	56–70	10
0125628         42-622         28 x 1.6         Puncture ProTection         black/black Reflex         3/66         →         770         50-65         10           0100364         42-622         28 x 1.6         Puncture ProTection         creme/creme Reflex         3/66         →         770         50-65         10           0111346         47-622         28 x 1.75         Puncture ProTection         black/black         3/66         →         940         45-58         10           0111347         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         →         940         45-58         10           0111353         47-622         28 x 1.75         Puncture ProTection         black/white         3/66         →         940         45-58         10           0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         →         940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         grey/grey         3/66         →         940         45-58         10           010099         32-630         27 x 1 1/4         Puncture ProTection         black/black         3	0100258	37-622	28 x 1 3/8 x 1 5/8	Puncture ProTection	creme/creme Reflex	3/66	ೕ	670	56–70	10
0100364       42-622       28 x 1.6       Puncture ProTection       creme/creme Reflex       3/66       →       770       50-65       10         0111346       47-622       28 x 1.75       Puncture ProTection       black/black       3/66       →       940       45-58       10         0111347       47-622       28 x 1.75       Puncture ProTection       black/black Reflex       3/66       →       940       45-58       10         0111353       47-622       28 x 1.75       Puncture ProTection       black/white       3/66       →       940       45-58       10         0111354       47-622       28 x 1.75       Puncture ProTection       black/brown       3/66       →       940       45-58       10         0100236       47-622       28 x 1.75       Puncture ProTection       grey/grey       3/66       →       940       45-58       10         0100990       32-630       27 x 1 1/4       Puncture ProTection       black/black       3/66       →       620       70-80       10         0100306       32-630       27 x 1 1/4       Puncture ProTection       black/black Reflex       3/66       →       620       70-80       10         0100094       37-	0125627	42-622	28 x 1.6	Puncture ProTection	black/black	3/66	ೕ	770	50-65	10
0111346         47-622         28 x 1.75         Puncture ProTection         black/black         3/66         ● 940         45-58         10           0111347         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         ● 940         45-58         10           0111353         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         ● 940         45-58         10           0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         ● 940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         grey/grey         3/66         ● 940         45-58         10           0100090         32-630         27 x 1 1/4         Puncture ProTection         black/black         3/66         ● 620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0126101	0125628	42-622	28 x 1.6	Puncture ProTection	black/black Reflex	3/66	ೕ	770	50-65	10
0111347         47-622         28 x 1.75         Puncture ProTection         black/black Reflex         3/66         ● 940         45-58         10           0111353         47-622         28 x 1.75         Puncture ProTection         black/white         3/66         ● 940         45-58         10           0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         ● 940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         grey/grey         3/66         ● 940         45-58         10           0100090         32-630         27 x 1 1/4         Puncture ProTection         black/black         3/66         ● 620         70-80         10           0100091         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ● 620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0126101	0100364	42-622	28 x 1.6	Puncture ProTection	creme/creme Reflex	3/66	( <b>)</b>	770	50-65	10
0111353         47-622         28 x 1.75         Puncture ProTection         black/white         3/66         ● 940         45-58         10           0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         ● 940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         grey/grey         3/66         ● 940         45-58         10           0100090         32-630         27 x 1 1/4         Puncture ProTection         black/black         3/66         ● 620         70-80         10           0100091         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ● 620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ● 800         50-65         10	0111346	47-622	28 x 1.75	Puncture ProTection	black/black	3/66	( <b>)</b>	940	45–58	10
0111354         47-622         28 x 1.75         Puncture ProTection         black/brown         3/66         ● 940         45-58         10           0100236         47-622         28 x 1.75         Puncture ProTection         grey/grey         3/66         ● 940         45-58         10           0100090         32-630         27 x 1 1/4         Puncture ProTection         black/black         3/66         ● 620         70-80         10           0100091         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ● 620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0100095         37-635         28 x 1 3/8         Puncture ProTection         black/black Reflex         3/66         ● 700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ● 800         50-65         10	0111347	47-622	28 x 1.75	Puncture ProTection	black/black Reflex	3/66	( <b>)</b>	940	45–58	10
0100236       47-622       28 x 1.75       Puncture ProTection       grey/grey       3/66       ●       940       45-58       10         0100090       32-630       27 x 1 1/4       Puncture ProTection       black/black       3/66       ●       620       70-80       10         0100091       32-630       27 x 1 1/4       Puncture ProTection       black/black Reflex       3/66       ●       620       70-80       10         0100306       32-630       27 x 1 1/4       Puncture ProTection       black/white       3/66       ●       620       70-80       10         0100094       37-635       28 x 1 3/8       Puncture ProTection       black/black       3/66       ●       700       56-70       10         0100095       37-635       28 x 1 3/8       Puncture ProTection       black/black Reflex       3/66       ●       700       56-70       10         0126101       42-635       28 x 1 1/2       Puncture ProTection       black/black       3/66       ●       800       50-65       10	0111353	47-622	28 x 1.75	Puncture ProTection	black/white	3/66	( <b>)</b>	940	45–58	10
0100090         32-630         27 x 1 1/4         Puncture ProTection         black/black         3/66         ● 620         70-80         10           0100091         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ● 620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0100095         37-635         28 x 1 3/8         Puncture ProTection         black/black Reflex         3/66         ● 700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ● 800         50-65         10	0111354	47-622	28 x 1.75	Puncture ProTection	black/brown	3/66	( <b>)</b>	940	45–58	10
0100091         32-630         27 x 1 1/4         Puncture ProTection         black/black Reflex         3/66         ●         620         70-80         10           0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ●         620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ●         700         56-70         10           0100095         37-635         28 x 1 3/8         Puncture ProTection         black/black Reflex         3/66         ●         700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ●         800         50-65         10	0100236	47-622	28 x 1.75	Puncture ProTection	grey/grey	3/66	( <b>)</b>	940	45–58	10
0100306         32-630         27 x 1 1/4         Puncture ProTection         black/white         3/66         ● 620         70-80         10           0100094         37-635         28 x 1 3/8         Puncture ProTection         black/black         3/66         ● 700         56-70         10           0100095         37-635         28 x 1 3/8         Puncture ProTection         black/black Reflex         3/66         ● 700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ● 800         50-65         10	0100090	32-630	27 x 1 1/4	Puncture ProTection	black/black	3/66	( <b>)</b>	620	70–80	10
0100094     37-635     28 x 1 3/8     Puncture ProTection     black/black     3/66     →     700     56-70     10       0100095     37-635     28 x 1 3/8     Puncture ProTection     black/black Reflex     3/66     →     700     56-70     10       0126101     42-635     28 x 1 1/2     Puncture ProTection     black/black     3/66     →     800     50-65     10	0100091	32-630	27 x 1 1/4	Puncture ProTection	black/black Reflex	3/66	( <b>)</b>	620	70–80	10
0100095         37-635         28 x 1 3/8         Puncture ProTection         black/black Reflex         3/66         ▶         700         56-70         10           0126101         42-635         28 x 1 1/2         Puncture ProTection         black/black         3/66         ▶         800         50-65         10	0100306	32-630	27 x 1 1/4	Puncture ProTection	black/white	3/66		620	70–80	10
0126101 42-635 28 x 1 1/2 Puncture ProTection black/black 3/66 🕪 800 50-65 10	0100094	37-635	28 x 1 3/8	Puncture ProTection	black/black	3/66		700	56–70	10
	0100095	37-635	28 x 1 3/8	Puncture ProTection	black/black Reflex	3/66		700	56–70	10
0126102 42-635 28 x 1 1/2 Puncture ProTection black/black Reflex 3/66 🕪 800 50-65 10	0126101	42-635	28 x 1 1/2	Puncture ProTection	black/black	3/66		800	50-65	10
	0126102	42-635	28 x 1 1/2	Puncture ProTection	black/black Reflex	3/66	<b>&gt;</b>	800	50-65	10

### CONTI-TUBE

Article	Number

Correspond	ing inner tubes		A	<b>D</b>	S	S	S		
ETRTO	Dimension	Unitube Name	Auto Schrader 40 mm	Blitz Dunlop 40 mm	Sclaverand/Presta/Frz. 42 mm	Sclaverand/Presta/Frz. 60 mm	Sclaverand/Presta/Frz. 80 mm	ca.	PU
City-/Trekking	<b>j 26</b> "								
28-559 -> 32-597	26 x 1 1/8 -> 26 x 1.3	Tour 26 (650C) Slim		0181471	0181481			150	25
37-559 -> 47-597	26 x 1 3/8 -> 26 x 1.75	Tour 26 (650C) All	0181491	0181511	0181521			165	25
37-559 -> 47-597	26 x 1 3/8 -> 26 x 1.75	Tour 26 (650C) Hermetic Plus	0182251	0182261	0182271			235	25
47-559 -> 62-559	26 x 1.75 -> 26 x 2.5	Tour 26 (650C) Wide	0181531	0181571	0181591			200	25
47-559 -> 62-559	26 x 1.75 -> 26 x 1.75	Tour 26 (650C) Wide Hermetic Plus		0181581				290	25
City-/Trekking	28"								
28-609 -> 37-642	27 x 1 1/8 -> 28 x 1 3/8 x 1 5/8 700 x 28C -> 700 x 37C	Tour 28 (700C) Slim	0181971	0181981	0181991			155	25
	27 x 1 1/4 -> 28 x 1.75 x 2	Tour 28 (700C) All	0182001	0182021	0182031	0182041		170	25
32-622 -> 47-622 32-630 -> 42-635	700 x 32C -> 700 x 47C	Tour 28 (700C) Light	0182051	0182061	0182071			100	25
02 000 > 42 000	700 x 28B -> 700 x 342B	Tour 28 (700C) Hermetic Plus	0182101	0182081	0182091			240	25
54-584 -> 62-622	28-1.75 -> 28 x 2.5	Tour 28 (700C) Wide	0182121	0182131	0182161			225	25
54-584 -> 62-622	28-1.75 -> 28 x 2.5	Tour 28 (700C) Wide Hermetic Plus		0182151				320	25

The TourRIDE offers everything a real all-round tyre needs. A tread for every intended surface, the obligatory breakdown protection belt and a high mileage compound ensure the TourRIDE is a trustworthy option for many carefree miles. Available in a very wide range of sizes making it an ideal workshop tyre to service a variety of different bicycle types.









# SAFETY FIRST





# Maximum safety.

We don't like punctures! The Plus tyre range offers you effective protection against flat tyres. An almost impenetrable puncture protection bead made out of highly elastic special rubber guarantees safety during all journeys. Shards of glass, nails and even drawing pins don't stand a chance. From the choice of numerous profiles and sizes there is a tyre for all uses to get you safely from A to B.

Tip: Combine the Plus tyres with a Hermetic Plus tube. This thicker and stronger tube stays inflated for longer and has a greater resistance to punctures. Bike shops swear by this combination.

Our conversations over the years with New York's toughest Fixie riders, the messengers of CycleHawk NY, continually provides us with new insights into the high demands placed on these rider's tyres.

### NB:

Please always make sure you have the right air pressure. Further details on page 77.

									24"				26"					28"			"26	i	-86 -86	3
Segment	Puncture Resistance (low to high)	Rolling resistance (high to low)	Page	Plus tyres	Gravel	Mixed	Street	Technology	47-507	32-559	42-559	47-559	50-559	54-559	55-559	28-622	32-622	37-622	42-622	47-622	28-630	32-630	37-635	42-635
MTB			60	Traffic Plus				Plus 🔁 👗						•										
Oite (Tradable o			60	Country Plus				Plus 🔁 👗				•	•					•	•	•				
City-/Trekking			61	Touring Plus				Plus 🕀 👗	•			•				•	•	•	•	•				•
Race			61	Super Sport Plus				Plus 🕀 👗								•					•	•		
								Corresponding inner tubes	Compact 24	Tour 26 Slim	i c	lour 20 All	Tour 26 Wide	(Hermetic	(spill	6	lour 28 Slim		Tour 28 All			Tour 28 1 1/9	-	

### **Traffic Plus**





### The traffic in bullet-proof vests.

If you are looking for worry-free tyres, then Traffic Plus is the right choice. The Plus Breaker protects the tyres reliably against all types of foreign objects. Whether glass shards, thorns or gravel, the tyre resists them all. The worry-free variety for high rental needs or puncture-free ATB mounting.



### **Country Plus**





### Carefree riding on country paths & lanes.

The Country Plus is just the thing for carefree riding on country paths & lanes. Thorns lose their sting – at least as far as the tyres are concerned, and the tread is ideally patterned for field and forest excursions. The tough Plus Breaker effectively fends off thorns and stones.



Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	Dynamo	ca.	PSI	PU
Traffic Pl	us							PIL	us 🕀 🙈 🏻
0100681	54-559	26 x 2.1	Plus Breaker	black/black	3/84		1100	50-65	5
Country	Plus							PIL	us 🕀 👗 )
0100323	47-559	26 x 1.75	Plus Breaker	black/black Reflex	3/66	(D)	900	45–58	10
0100438	50-559	26 x 1.9	Plus Breaker	black/black Reflex	3/66	(D)	900	45–58	10
0100326	37-622	28 x 1 3/8 x 1 5/8	Plus Breaker	black/black Reflex	3/66	(D)	720	58-70	10
0100321	42-622	28 x 1.6	Plus Breaker	black/black Reflex	3/66	(D)	870	50-65	10
0100322	47-622	28 x 1.75	Plus Breaker	black/black Reflex	3/66	(D)	900	45–58	10
Touring F	Plus							PIL	us 🕀 👗 )
0100331	47-507	24 x 1.75	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	860	45–58	10
0100105	47-559	26 x 1.75	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	915	45–58	10
0100106	28-622	28 x 1.10	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	585	80-102	10
0100107	32-622	28 x 1 1/4 x 1 3/4	Plus Breaker	black/black Reflex	3/66	(D)	605	70-80	10
0100108	37-622	28 x 1 3/8 x 1 5/8	Plus Breaker	black/black Reflex	3/66	(D)	805	56-70	10
0100109	42-622	28 x 1.6	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	900	50-65	10
0100110	47-622	28 x 1.75	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	1025	45–58	10
0100330	42-635	28 x 1 1/2	Plus Breaker	black/black Reflex	3/66	( <b>&gt;</b>	960	50-65	10
Super Sp	ort Plus							Pla	us 🕀 👗 )
0100341	23-622	700 x 23C	Plus Breaker	black/black foldable	3/84		320	110-120	10
0100344	23-622	700 x 23C	Plus Breaker	black/black	3/84		380	110-120	10
0100343	25-622	700 x 25C	Plus Breaker	black/black foldable	3/84		400	95-120	10
0100342	25-622	700 x 25C	Plus Breaker	black/black	3/84		420	95–120	10
0100349	28-622	700 x 28C	Plus Breaker	black/black	3/84		550	80-116	10
0100347	28-630	27 x 1 1/8	Plus Breaker	black/black	3/84		560	80-102	10
0100348	32-630	27 x 1 1/4	Plus Breaker	black/black	3/84		640	70-102	10

### No fear of bedeviling flats!

The Touring Plus is an excellent choice for any and every touring and commuting bicycle. Its balanced tread pattern has bikes rolling effortlessly down roads and paths, while its finely siped shoulder blocks provide surefooted grip in corners. The Plus Breaker and highly visible reflective sidewall make for top-level safety. No wonder our Touring Plus is one of the most popular and frequently used bike tyres anywhere.







### Cycle couriers, regular commuters and fixie riders!

The Super Sport Plus uses the proven profile of the good old Grand Prix with added Plus Breaker, guaranteeing the highest puncture protection. A more robust, extra thick casing means excellent sidewall durability and an especially thick tread provides greater longevity. Cycle couriers, regular commuters and fixie riders, this is YOUR tyre!











# Tubes, rim tape, accessories, details which make all the difference.

It is often the small, unseen things which make it possible to get the most out of a product. For example using our Continental Revolution Sealant or a suitable and pressure resistant rim tape, like the Continental Easy Tape, which is available in many widths. Our tubular cement has also been tried and tested in cycling for many years, securing tubulars to aluminium rims as well as to carbon rims with our carbon specific version. These products along with our valve extensions, available in various lengths are indispensable accessories for bike racing. Continental tubes, which are made out of high quality butyl rubber with even wall thickness, are available in all possible sizes, styles and valve types and are all listed in order in the new, user friendly ContiTube System. We develop and manufacture all these small, useful products with the same care and precision with which we manufacture our other cutting edge products, because it's the detail which make the difference.



### **Bicycle tyre tubes**





### **Bicycle tyre tubes**

The new ContiTube bicycle tube program makes it easier for you to find the ideal tube for your cycling demands. The user-friendly tube system is suitable for any size, length, design, type of valve and perfect for any tyre dimension and riding occasion. Varying tube types can affect your tyres' handling characteristics: the Standard tube, available in all dimensions is the best choice for everyday cycling whilst Light & Supersonic varieties give racers the option of lower rotating weight, therefore increasing speed. The lightweight tubes have a lower thickness and so it is imperative that inflation pressures are maintained to prevent the risk of pinch flats.

For worry free cycling, we recommend the Hermetic Plus tube. Its improved formula is lighter and more compact, which renders it very puncture resistant in the presence of higher butyl amounts and greater wall thickness. Since it retains air longer, it's a favourite among bicycle rental agencies. Our Freeride and Downhill tubes are especially strong and bulky, which make it one of our favourites, since their extra wall thickness effectively protects against punctures.

**Article Number** 

			A		S		
ETRTO	Dimension	Unitube Name	Auto Schrader 34 mm	Blitz Dunlop 40 mm	Sclaverand/Presta/Frz. 42 mm	ca.	PU
Compact 8"							
54-110	8 1/2 x 2 -> 8 x 1 3/4	Compact 8		0180991*		80	25
Compact 10" 11" 12"							
	10 x 1 5/8	Compact 10/11/12	0181051	0181071*		95	25
44-194 -> 62-222	12 1/2 x 1.75 -> 12 1/2 x 2 1/4	Compact 10/11/12 *45 degree valve	0182211			95	25
Compact 14"							
32-279 -> 47-298	14 x 1 1/4 -> 14 x 1 1/2	Compact 14		0181081*		90	25
Compact 16"							
32-305 -> 47-349	16 x 1 3/8 -> 16 x 1.75	Compact 16	0181091	0181111*	0181121	100	25
50-305 -> 62-305	16 x 1.9 -> 16 x 2.5	Compact 16 Wide	0181131	0181171*		130	25
Compact 18"							
32-355 -> 47-400	18 x 1 1/4 -> 18 x 1.9	Compact 18		0181181*		115	25
Compact 20"							
28-406 -> 32-451	20 x 1 1/8 -> 20 x 1 1/4	Compact 20 Slim			0181191	110	25
32-406 -> 47-451	20 x 1 1/4 -> 20 x 1.75 x 2	Compact 20	0181211	0181221	0181231	130	25
50-406 -> 62-406	20 x 1.9 -> 20 x 2.5	Compact 20 Wide	0181271	0181281		165	25
Compact 24"							
00.507 . 47.544	044.4/4044.750	Compact 24	0181291	0181311		155	25
32-507 -> 47-544	24 x 1 1/4 -> 24 x 1.75 x 2	Compact 24 Hermetic Plus	0182231	0182241		220	25
50-507 -> 60-507	24 x 2.0 -> 24 x 2.4	Compact 24 Wide	0181321	0181331		200	25

( MA





Article Number



_	_	
	S	)

ETRTO	Dimension	Unitube Name		40 mm	40 mm	42 mm	60 mm	80 mm	Ga	PU
Race 26" (650	C)									
		Race 26 (650C)				0181371	0181381		96	25
20-571 -> 25-599	26 x 1 650 x 20C -> 650 x 25C	Race 26 (650C) Light				0181391	0181411	_	65	25
		Race 26 (650C) Supersonic				0181421	0181431		45	25
Race 28" (700	C)									
		Race 28 (700C)				0181781	0181791	0180000	105	25
18-622 -> 25-630	27 x 3/4 -> 27 x 1 700 x 20C -> 700 x 25C	Race 28 (700C) Light				0181821	0181831	0181871	65	25
		Race 28 (700C) Supersonic				0181881	0181891		50	25
25-622 -> 32-630	700 x 25C -> 700 x 32C, 27 x 1 1/4	Race 28 (700C) Training				0181921	0181931		125	25
Cross 28" (70	0C)									
32-622 -> 47-622	700 x 32 -> 700 x 47	Cross 28 (700C)				0181941	0181951		155	25
Mountainbike	26"									
47.550	00 4 75 00 0 5	MTB 26		0181611	0181621	0181631	0181671		200	25
47-559 -> 55-559	26 x 1.75 -> 26 x 2.5	MTB 26 Light				0181681			125	25
47-559 -> 55-559	26 x 1.75 -> 26 x 2.2	MTB 26 Supersonic				0181691			100	25
		MTB 26 Freeride		0181721		0181731			285	25
57-559 -> 70-559	26 x 2.3 -> 26 x 2.7	MTB 26 Downhill		0181771			. ———		435	25
Mountainbike	27.5"			_						
47.504 00.504	075 475 075 04	MTB 27.5	NEW	0182331		0182311			235	25
47-584 -> 60-584	27.5 x 1.75 -> 27.5 x 2.4	MTB 27.5 Light	NEW			0182341			145	25
Mountainbike	29"			_	_			_		
		MTB 29		0182171		0182181	0182191		225	25
25-622 -> 32-630  Cross 28" (700 32-622 -> 47-622  Mountainbike 47-559 -> 62-559  47-559 -> 70-559  Mountainbike 47-584 -> 60-584  Mountainbike 47-622 -> 62-622  City-/Trekking 28-559 -> 32-597 37-559 -> 47-597 47-559 -> 62-559  47-559 -> 62-559  City-/Trekking	28 / 29 x 1.75 -> 28 / 29 x 2.5	MTB 29 Light	NEW			0182321	0182201		160	25
City-/Trekking	g <b>2</b> 6"			_						
28-559 -> 32-597	26 x 1 1/8 -> 26 x 1.3	Tour 26 (650C) Slim		_	0181471	0181481	_	_	150	25
37-559 -> 47-597	26 x 1 3/8 -> 26 x 1.75	Tour 26 (650C) All		0181491	0181511	0181521			165	25
37-559 -> 47-597	26 x 1 3/8 -> 26 x 1.75	Tour 26 (650C) Hermetic Plus		0182251	0182261	0182271			235	25
47-559 -> 62-559	26 x 1.75 -> 26 x 2.5	Tour 26 (650C) Wide		0181531	0181571	0181591			200	25
47-559 -> 62-559	26 x 1.75 -> 26 x 1.75	Tour 26 (650C) Wide Hermetic Plus			0181581				290	25
City-/Trekking	g <b>28</b> "			_				_		
28-609 -> 37-642	27 x 1 1/8 -> 28 x 1 3/8 x 1 5/8 700 x 28C -> 700 x 37C	Tour 28 (700C) Slim		0181971	0181981	0181991			155	25
	27 x 1 1/4 -> 28 x 1.75 x 2	Tour 28 (700C) All	_	0182001	0182021	0182031	0182041		170	25
	700 x 32C -> 700 x 47C	Tour 28 (700C) Light		0182051	0182061	0182071	_		100	25
22 300 7 12 000	700 x 28B -> 700 x 342B	Tour 28 (700C) Hermetic Plus		0182101	0182081	0182091	_		285 435 235 145 225 160 150 165 235 200 290	25
54-584 -> 62-622	28-1.75 -> 28 x 2.5	Tour 28 (700C) Wide		0182121	0182131	0182161			225	25
54-584 -> 62-622	28-1.75 -> 28 x 2.5	Tour 28 (700C) Wide Hermetic Plus			0182151	•			320	25



Servicepack 2	26"								
47-559 -> 62-559	26 x 1.75 -> 26 x 2.5	MTB 26 Service	0180581	0180521	0180551		2	200	50
47-559 -> 62-559	20 X 1./5 -> 20 X 2.5	MTB 26 Hermetic Plus Service	0180731				2	285	50
37-559 -> 47-597	26 x 1 3/8 -> 26 x 1.75	Tour 26 (650C) All Service		0180621			1	170	50
37/50-559/597	26 x 1 3/8-2.0 650A / B	Tour 26 Hermetic Plus Service		0180751			2	235	50
Servicepack 2	28"								
18/25-622/630	700 x 20 ->700 x 25C 27 x 3/4 -> 27 x 1	Race 28 (700C) Service			0180591	0180611	1	105	50
32-622 -> 47-622	27 x 1 1/4 -> 28 x 1.75 x 2	Tour 28 (700C) All Service	0180691	0180651	0180681		1	170	50
32-022 -> 41-022	21 X 1 1/4 -> 20 X 1./5 X 2	Tour 28 Hermetic Plus Service	0180721	0180711			2	240	50



### Accessories [1-2]

Article	Tread	PU
0140013 [1]	XpressPump CO <sub>2</sub>	1
0149690 [2]	Exchangeable presta valve insert	10

### Tyre levers [3-4]

Continental tyre levers made with fibre-reinforced plastic make changing tyres as easy as can be, without damaging the rim. The remarkably user-friendly MTB model can also be easily fastened to a spoke during disassembly, thus replacing the "third hand". The form of the race models is customized to meet the requirements of a high-pressure tyre. The broad and flat lift surface also allows for perfect handling even on tight fitting tyres.

Article	Thread	PU
0149090 [3]	Tyre fittig/removing levers MTB	50
0149093 [4]	Tyre fittig/removing levers Race	50

### Tube bags [5]

Article	Tread	PU
0100388	Tube bag with Race 28 tube S42 and 2 tyre levers Race	1
0100384	Tube bag with Race 28 tube S60 and 2 tyre levers Race	1
0100385	Tube bag with MTB 26 tour S42 and 2 tyre levers MTB	1
0100448	Tube bag with Tour 28 tour D40 and 2 tyre levers MTB	1

### Tubular rim cement [6-9]

Article	Tread	PU
0149091 [6]	Tubular rim cement for aluminium rims, 25 g tube	12
0149092 [7]	Tubular rim cement for aluminium rims, 350 g can	1
0140016 [8]	Tubular rim cement for carbon rims, 25 g tube	12
0140017 [9]	Tubular rim cement for carbon rims, 200 g can	1

### Valve extension for presta valve [10]

For each type of rim, we have the right valve extension. These can be used with inner tubes featuring removable presta valve cores. The complimentary tool [blister] makes it easy for the removal of the valve core and installation of the extension.

Article	Tread	PU
0140028	Valve extension for presta valve aluminum 20 mm, 2 pcs.	2
0140029	Valve extension for presta valve aluminum 20 mm, 10 pcs.	10
0140030	Valve extension for presta valve aluminum 30 mm, 2 pcs.	2
0140031	Valve extension for presta valve aluminum 30 mm, 10 pcs.	10
0140032	Valve extension for presta valve aluminum 40 mm, 2 pcs.	2
0140033	Valve extension for presta valve aluminum 40 mm, 10 pcs.	10
0140034	Valve extension for presta valve aluminum 60 mm, 2 pcs.	2
0140035	Valve extension for presta valve aluminum 60 mm, 10 pcs.	10

### Conti RevoSealant [11]



For years Continental tyre sealants have been replacing the spare tyre in many vehicles. This technology has now been further enhanced especially to meet the requirements for use in bicycles and tubes. The ammonium- and protein-free RevoSealant provides reliable sealing for punctures and small cuts without chemically corroding the tyre or tube. The versatile RevoSealant is not only useful for repairs, but can also be used as a preventive measures in tubes, tubular tyres, and tubeless tyres. With suitable tyres, RevoSealant can also be used as a sealant for the Tubeless Ready systems which are popular on MTB's. RevoSealant, which is specially optimized for use in Continental cycle tyres, can be used in temperatures as low as –20° Celsius. Please carefully follow the accompanying assembly instructions.

Article	Tread	PU
0140044	Continental RevoSealant 240 ml	20
0140050	Continental RevoSealant 1000 ml	6



### Rim Strip [12]


Small component = large impact.

A poorly constructed or unsuitable tyre rim tape can be the cause of many punctures. It is especially important with hollow section rims to use a pressure-resistant rim band which covers the entyre rim. The fabric-reinforced Continental Easy Tape rim protector is designed for use under high air pressure conditions. The various widths enable a perfect fit for all standard rims. The high pressure design for racing cyclists withstands up to 220 PSI, without becoming deformed. The flat construction type also significantly eases the job of tyre fitting.

**Ontinental** 8

Article	Dimension	Tread	Colour	PU
Easy Ta	pe High Pı	ressure Rim Strip < 220 PSI		
0195066	16-622	Easy Tape HP Rim Strip, Set	black	1
0195068	16-622	EasyTape HP Rim Strip, in a bundle [40 pieces]	black	1
0195070	18-622	Easy Tape HP Rim Strip, Set	black	1
0195072	18-622	EasyTape HP Rim Strip, in a bundle [40 pieces]	black	1
0195074	16-571	EasyTape HP Rim Strip, Set	black	1
0195076	18-571	EasyTape HP Rim Strip, Set	black	1

Lasy Tape	i iiiii Oti ip	× 1101 01		
0195031	18-559	Easy Tape HP Rim Strip, Set	black	1
0195034	18-559	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195000	20-559	Easy Tape HP Rim Strip, Set	black	1
0195093	20-559	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195002	22-559	Easy Tape HP Rim Strip, Set	black	1
0195094	22-559	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195006	24-559	Easy Tape HP Rim Strip, Set	black	1
0195095	24-559	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195009	26-559	Easy Tape HP Rim Strip, Set	black	1
0195096	26-559	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195035 NEW	18-584	Easy Tape HP Rim Strip, Set	black	1
0195037 NEW	18-584	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195038 NEW	20-584	Easy Tape HP Rim Strip, Set	black	1
0195039 NEW	20-584	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195043 NEW	22-584	Easy Tape HP Rim Strip, Set	black	1
0195047 NEW	22-584	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195027	14-622	Easy Tape HP Rim Strip, Set	black	1
0195030	14-622	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195013	18-622	Easy Tape HP Rim Strip, Set	black	1
0195083	18-622	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195015	20-622	Easy Tape HP Rim Strip, Set	black	1
0195086	20-622	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195018	22-622	Easy Tape HP Rim Strip, Set	black	1
0195089	22-622	Easy Tape Rim Strip, in a bundle [100 pieces]	black	1
0195022	24-622	Easy Tape HP Rim Strip, Set	black	1
0195025	26-622	Easy Tape HP Rim Strip, Set	black	1
Rubber Rin	n Strip < 7	0 PSI		_
194000	12 1/2/20	12 1/2 [203 mm]/20 mm	black	50
195004	16/16	16 [305 mm]/16 mm	black	50
195012	20/16	20 [406 mm]/16 mm	black	50
195016	20/20	20 [406 mm]/20 mm	black	50
195024	22-24/14	22-24 [489-540 mm]/14 mm	black	50
0195045	B 26-28/20	26-28 [559-635 mm]/20mm	black	50



# Technology made in Germany.

The constant strive for perfection drives our engineers and developers to exceptional new heights in achievements time and time again. This gives rise to ground-breaking developments which are continually incorporated into our products and motivates our specialists to continue to develop pioneering "Made in Germany" technologies and innovations. This is all with one clear and simple goal in mind; to create the optimal tyres for every use.



# Deutsche Technik in detail







### BlackChili Compound - it's all about how you mix it.

In the research and development laboratories for Continental bicycle tyres in Korbach, Germany, the staff and engineers have been looking for the solution to one of the fundamental problems of tyre construction: The running properties of the rubber compound of a tyre are largely determined by three interacting factors: static friction (grip), rolling resistance and mileage. The dilemma is that you improve one of these factors, and in turn, worsen at least one other factor. A tyre with maximum grip wears out faster and rolls slower. If one makes the tyre faster or more durable, then this in turn reduces grip. With the then current highest standard of compound technology, the Activated Silica Compound having already reached a very high standard of compromise, our developers wanted to take compounding to an even higher level. This lead them to venture into new territory, exploring new ways so that in 2005 they made a breakthrough in mixing technology, the first steps to what is now known as BlackChili. This revolutionary compound is based on the latest findings on polymer and other raw material research.

For BlackChili we refine newly developed synthetic rubbers with natural rubber with the proven high-performance tread compound. We use these rubbers with special nanometric carbon soot particles, which are optimized in shape and surface properties for best uses for the intended tyre. BlackChili Compound reaches an unprecedented of performance.



Tyres with BlackChili Compound reach an unprecedented level of performance. Compared to the previous best Activated Silica Compound, BlackChili tyres have 26 % less rolling resistance, a 30 % higher friction value (grip) and a 5 % increase in mileage. BlackChili technology never stands still as it is continuously developed and tailored to the individual applications of new Continental tyres as they continue to be produced out of the Korbach factory. Whether on the road or mountain bike, speed and grip advantages are very noticeable. The complex compound technology is so sensitive that tyres with BlackChili Compound can only be produced exclusively in our German Korbach factory.





### **PureGrip Compound.**

Based on activated silica compounds, this technology was originally intended as an performance level compound, but after intensive development at our Korbach Research and Development Department Facility, an advanced new compound with outstanding grip and cross-country properties was developed. This new rubber mix, given the self explanatory name "PureGrip", is ranked just behind our BlackChili Compound and is being used in our performance products both in the road and mountain bike sectors. Whilst providing great grip, it is also long lasting and highly durable – both characteristics of Continental tyres, which are exclusively manufactured in the factory in Hefei (Asia).

## TPS TirePositioning® System

### TirePositioning ® System

With the TirePositioning \* System, the last little bit of what is currently technically possible has been exploited. Motorcyclists have known for a long time: Different demands are made on a front tyre than on its rear counterpart. The narrower front tyre provides reduced wind resistance and better handling. An adhesion-optimised tread mixture supplies the necessary grip especially for wet cornering. The wide rear tyre offers better traction thanks to a larger contact area and at the same time more comfort. Thanks to the fast rolling, optimised tread mixture and the larger contact area on the rear tyre, wear is reduced. The result is a pioneering front tyre and rear tyre system for road





racing; to be found in our GP Attack and Force combination. – New since 2013: The first tubulars featuring the TPS system!

### TWI -The wear indicator


The wear rate and condition of any 'treaded' tyre like an MTB or touring model can be easily recognised by the obvious visual signs of wear to these tread lugs. Smooth or slick road tyres however do not offer any indication for their timely replacement. That is why Continental introduced wear indicators for smooth racing tyres back in 2004 on the Grand Prix 4000. The TWIs (Tread Wear Indicators) are on practically every Continental racing tyre these days. If the two small, circular depressions can no longer be seen in the middle of the tread, it is time for a replacement. This is an important aspect for rider safety as a worn tyres riding characteristics are no longer adequate. The wear indicators have also found

their way into City trekking and e-bike tyres. The Top CONTACT II has a small crosspiece in the base of the tread groove which should show a minimum profile depth of at least 1.6 mm. You can recognise Continental bicycle tyres with TWIs by the corresponding marking on the sidewall.

# Casing construction & TPI – the makeup of the basic tyre structure.

The carcass is the basic structure for all tyres. The construction of the carcass, the material and the thickness of the thread depends on the demands that are placed on the tyre. Continental always works with high-quality carcasses made from nylon strings that are first woven and then rubberised. Nylon can be easily combined with rubber and is durable in all types of weather. The thickness of the thread gives the tyre its specific attributes. Thread thickness is recorded in TPI (threads per inch) and describes the number of threads per 2.54 cm (1 inch). Fabrics used have 22 TPI, 28 TPI, 60 TPI and 110 TPI. Very fine material makes the tyre smoother and protects the carcass from punctures. Coarse fabric is more cut-resistant and makes the tyre more robust. The choice of fabric correlates to the purpose of use. The standard is a three-ply basic carcass. Additional breakers can be put under the tread in order to reinforce the tyre even more and to increase puncture protection. There are different types of breaker builds and materials for different uses whether they are highly elastic specialty rubber, such as our Plus brand or fabric breakers, such as PolyX and Vectran™ in our race tyres. You can see how the tyre is constructed in the tyre specification. Points listed are the number of layers, the sum of the TPI and the type of puncture protection. 3/180 + Vectran™ is equivalent to three layers of a 60 TPI fabric with an additional Vectran™ Breaker.

Grand Prix 4000 S II:
3/330 + Vectran™
Breaker is equivalent to:
3 Fabric plies/3\*110 TPI +
Vectran™ Breaker
Contact: 3/180 +
SafetySystem™ is
equivalent to:
3 Fabric plies/3\*60 TPI +
SafetySystem Breaker
Olympic: 2/220 is
equivalent to: 2 plies
(aramid in this
case)/2\*110 TPI





# Breaker Technology from Germany – Puncture Resistance in detail

### **ProTection**



### ProTection - the hard way.

Better than ever before, the new Continental ProTection casing. The extra all-round puncture protection layer renders the casings especially durable and insensitive to damage or penetration from foreign elements. Treads and sidewalls are equally protected, and are 25 % lighter and offer 30 % more puncture protection than their predecessors protected by DuraSkin®. Rolling resistance and absorption has also significantly improved.

The new Made in Germany technology allows it to withstand even the hardest trails across the world. What's more: they're universally usable, are inspired by BlackChili Compound and have an aesthetically pleasing sidewall design. The new Revolution Tubeless Ready Bead improves the application of Tubeless Ready Tyres. For optimal results with sealing for tubeless use and whilst riding, we recommend the application of the new Continental RevoSealant.

### Technology:

BlackChili Compound Tubeless Ready bead Revolution Tubeless Ready base 4/240 threads per inch (TPI) Flag Sidewall design





### **RaceSport**



### RaceSport - light, quick, safe.

Uncompromisingly designed for use in mountain bike racing: the RaceSport carcass combines logical light construction and noticeably better protection against flat tyres at the very highest level. Together with professional mountain bikers, we have created the perfect platform for competition tyres. Hand produced in Germany, they offer a 30 % better protection against flat tyres than Supersonic tyres. The construction makes the difference – particularly fine and high-grade nylon fabric with an expensive, protective rubber lining and a universal bead. Together with the legendary BlackChili Compound, this is the ultimate combination for XC racing and marathon/endurance events.

### Technology:

BlackChili Compound Universal bead 3/180 threads per inch (TPI) particularly robust tread and fabric rubber lining Smooth side wall



#### **Apex**

The sidewalls of freeride and downhill tyres are subjected to extraordinarily high loads. A rubber profile between the carcass layers ensures stability. The Apex sits on the tyre bead and reinforces the sidewalls of the tyre. The tyre is thus protected from impact with the rim during rough rides over rocky ground. The tyre stays more upright when cornering. It does not bend over the sides of the rim when subjected to transverse loads, and always stays true to the course.



## Continental Tubeless Tyres for the Universal System Tubeless.

Tubeless Tyres by Continental work with both UST and Rigida/Nagesti rims and wheels. The tyre and rim form an airtight chamber. A tube is not necessary and pinchflats not possible anymore. In comparison to the conventional system, the tyre pressure can be lowered and the comfort of the ride increases. At a lower tyre pressure the tyre deforms more easily and so the contact patch of the tyre increases and the tread adapts to the ground more quickly, improving traction.






## Breaker Technology from Germany – Puncture Resistance in detail



#### The benchmark in puncture protection.

Vectran™ is a synthetically manufactured high-tech fibre from a natural model. Like spider silk, Vectran™ is a liquidcrystalline polymer (LCP). Vectran™ is spun from the melted liquid polymer Vectra and processed further to a multistrand thread. Spider silk like Vectran™ has an enormous tear resistance at a very low weight: Exactly the right properties to process into a premium Continental bicycle tyre as a puncture protection insert. A Vectran™ Breaker is lighter, more flexible and protects more effectively against

cuts than the comparable nylon breaker. Vectran™ Breaker does not adversely affect the rolling resistance.





#### Plus Breaker - Maximum safety!

Between the tread and the carcass, a puncture protection of highly elastic special rubber is used. This practically impenetrable puncture protection successfully defies all types of foreign objects from getting to the inner tube below. Even a drawing pin cannot get through. Tyres with Plus Breaker can be seen in almost every segment nowadays: Whether racing cycles, MTB or city/trekking, the Plus Breaker guarantees maximum safety without negatively affecting the cycle properties of the tyre. The consistency of the breaker has been adjusted so that the tyre does not

feel spongy when cornering. The Plus Breaker is true puncture protection. Please read the air pressure instructions!





## Poly Breaker®

#### Puncture-defence

With our PolyX Breaker®, we bring PKW know-how to the bicycle tyre segment: Polyester has been used successfully for years in car tyres and been tried and tested many times. The extremely resistant polyester fibre is woven tightly crosswise. In this way, a very high fabric density is reached which not only makes the Breaker more resistant to foreign objects but is also especially resistant to punctures. The

rolling resistance is also not negatively affected by the PolyX Breaker®.





#### SafetySystem Breaker – Puncture protection with a system.

The SafetySystem Breaker is made up of Kevlar-reinforced, high-strength nylon fabric. Puncture and cut-resistant but nevertheless light and flexible, the tyre adjusts quickly to the surface below. Without raising the weight or rolling resistance noticeably, it protects the carcass against foreign objects and

contributes to a longer lifespan of the tyre. Tyres with the SafetySystem Breaker also provide good comfort properties.





#### **SafetyPlus**

For E-bikes, we have combined the SafetySystem Breaker with a highly elastic material. The result is an extremely puncture and cut resistant casing which, thanks to its high elasticity, gives especially low rolling resistance, saving battery power and the environment. The breaker also meets the demands of the higher speed e-bikes, of up to 50 km/h. The breaker is also adapted for the higher

acceleration torque of e-bikes as well as the faster cornering speeds. The specialist tyre for fast e-bikes and rental bikes.





#### **NyTechBreaker**

Our new NyTech Puncture Protection has been developed based on the proven Continental SafetySystem Breaker. Its nylon fabric makes it resistant to punctures and cuts like Kevlar reinforced high strength fibres, but offers

weight. The NyTech breaker sits between the SafetySystem and the PolyX Breaker® as a more effective puncture protection casing in the performance sector.





#### Puncture ProTection - Worry-free throughout the day.

If you are looking for a reliable, value for money companion for every day use, choose a tyre with Puncture ProTection Breaker. This robust GummiBreaker combines with the

rubber-reinforced sidewalls of the tyre to guarantee a high puncture and wear protection. No frills tyres with a clear focus and durability.



#### **Competition tyres!**

In serious competitions, sacrifices are sometimes made by riders looking for that extra  $5\,\%$ . Sometimes this means our GP SuperSonic is used. It features a high quality racing

carcass but with no puncture protection. In the race against the clock, weight and rolling resistance are the top priority – the cyclist has to gauge the high puncture risk to him/herself.



#### DuraSkin®



Tyres with DuraSkin® sidewall protection have to be able to roll with the punches. They are used under the harshest conditions. On messenger bikes, the tyres skid along curbs; on touring bikes, they cross continents without wearing out. In racing cycling, they have to endure tough tests

such as the Paris-Roubaix. The high-quality polyamide fabric protects the tyre casing against the worst conditions. These tyres stand out thanks to their brown sidewalls.








#### Hardshell - MORE is what you get!!!

Puncture protection and mileage are the strengths of Hardshell-ProTection. A wider PolyX Breaker®, the specialist against punctures under the tread centre and shoulders provides for great reliability. The three-ply – each layer with 60 TPI – carcass covers the entyre tyre and makes it a real bastion against urban detritus. The outer sidewalls of the tyre are reinforced with DuraSkin® fabric providing even

more reliablility due to the casing being so well protected. Hardshell tyres are the puncture-resistant flagship amongst racing tyres – produced exclusively in Germany.



#### **Breaker Technology in comparison**



## Deutsche Technik in detail

## Caution – Heat build-up!

Within the cycling industry, an increasing number of rim profiles are now sealed, designed to be compatible with tubeless or tubeless-ready tyres. This means that there are no drill holes in the rim negating the need for a rim strip. In addition, carbon is becoming increasingly popular as a rim material. Carbon has low thermal conductivity resulting in heat build up along the tyre - rim interface during constant braking. In these sealed rims, the tube is in direct contact with the rim, which could fail with rising temperatures under constant breaking. Continuous use of the brakes can result in temperatures of up to 240 °C, not unusual on long descents. Depending on the weight of the cyclist, braking intensity and the properties of the rim, even higher temperatures are possible. Latex and lightweight tubes are particularly vulnerable to this heat build up. Latex can tolerate temperatures of up to 130 °C and at temperatures above 200 °C, the tyre may even be damaged. Continental recommends the use of Easy Tape rim strips with any rim and especially with sealed rims because it protects the tube from direct heat. In general, with carbon clincher rims, the use of latex or lightweight tubes should be avoided. Continental expressly recommends the use of Easy Tape rim strips for riding in alpine regions as well as when using the Race All tube. Alternating or feathering the brakes gives the rim a chance to cool down, a simple, but effective technique to avoid the problem and ensure safe descending.



#### **Dynamo – Preparation**

Tyres which have the Dynamo symbol have a special profiling in the side wall and are especially suitable for use with rotating dynamos. The Dynamo thus runs quieter and does not slip in wet conditions. Depending on the tyre model, the dynamo knurl design can vary.









#### Tyre-rim combination.

For clarification on sizing, all Continental bicycle tyres are sized according to the ETRTO (European Tyre and Rim Technical Organisation) format: tyre width [mm] x tyre rim diameter [mm], for example 23-622. This is placed on the tyre sidewall. Alternative sizing such as 23x700C or 26 x 2.4 do not give clear information about the necessary rim size. That is why the internationally recognised ETRTO standard should always be used when in doubt. In general, Continental recommends that bicycle tyres only be mounted on hook



edge type rims because this type of rim holds the tyre more securely, especially with air pressures exceeding 3 bars. The measurements for hook edge rims, for example 13C-622, are given as; rim width in mm (size A), a "C" for crotchet ('hook' in English) and the rim bed diameter in mm (size D). If the size information on older rims is not legible, the rim width can simply be measured using a calliper from one hook edge to the other. An overview of which rim widths fit which tyres is available from ETRTO.

13C					RIN	1517	E			
13C										$\leq$
13C		13C								<b></b>
13C   15C   17C   19C   22S   23C   25C   27C   29C   23C   25C   27C   23C   25C										
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	50		15C							~
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	23		15C	17C						
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	25	130		17C	19C					
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	28	~		17C	19C					
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	30			17C	19C					
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	35		100	17C	19C		200			
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	35		<b>~</b>		19C	21C				
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	37				19C	21C		05C		
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	Q.A				19C	21C				
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	A?2					21C	23C		27C	
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	AA					21C	23C			
17C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	7.0					21C	23C			29C
17C   13C   23C   25C   27C   29C   21C   23C   25C   27C   29C   21C   23C   25C   27C   29C   21C   23C   25C   27C   29C   25C   27C   25C   27C							23C	25C		
19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C 19C 21C 23C 25C 27C 29C	20			17C			23C			
19C 21C 23C 25C 27C 29C	24						23C	25C		
19C 21C 23C 25C 27C 29C	54						23C	25C		
190 210 20	57							25C	27C	29C
	80				19C	210				



#### ECO - the energy saving tyres.

The tyres with the Continental ECO logo benefit from over 100 years of experience in the development of mopeds and motorcycle tyres. Optimized and recommended for e-bikes at speeds of up to 25 km/h, they guarantee low rolling resistance and good puncture protection with their extra high quality construction. The durability has been studied on e-bikes to prevent early wear and tear due to the additional drive force. Some models, such as the TopContact II, also have the ECE-R 75 test label which authorizes use on fast e-bikes up to 50 km/h.



#### Notes – Air pressure.

Air pressure directly influences the handling, durability and the rolling resistance of a bicycle. Only with the right operational pressure can a tyre operate to its full potential. In addition to tyre volumes and cyclist or system weight, the purpose plays an important role here. Each Continental tyre has a recommended air pressure on the sidewall and maximum inflation pressure specification. If the air pressure is too low, wear increases, and the risk of puncture damage and tyre slipping increases. Ageing cracks can also occur. Air pressure which is too high makes the tyre feel rigid as its optimal elasticity is not realised. Traction, grip and rolling resistance may get worse. All bicycle tyre systems continually lose pressure. For this reason you should check your tyre

pressure frequently. Touring bike and mountain bike riders should check their air pressure at least once a month; racing cyclists once a week. When using light and supersonic tubes, the air pressure should be checked before each ride.



#### Notes - Weight.

Building light tyres is the declared goal of our developers and employees in our production facility. Occasionally however, there are small deviations from the weight information given in our catalogue. These result from tolerances in the tread thickness and rubberised material which cannot be avoided in the handwork of the manufacturing process. The weight information in the catalogue is based on the target weights which were determined in the pre-production series and is rechecked during the running production repeatedly. Deviations of up to 10 % of the target weights are thus possible according to the design.





# Top quality extras.

Regardless of whether you are out on the racing bike, mountain bike, simply outdoors or in the workshop, Continental assures a perfect fit, top quality and a smart look with our clothing and accessories collection. A collection which will inspire you in the coming 2014 bike season and make sure that you are well presented, no matter what the situation!

Our clothing items and accessories, similar to our tyres, represent the highest quality and functionality, the renowned Conti quality!





#### **Black jersey**

Cycling jersey with an attractive design, a longer zipper and three rear pockets, plus an extra safety pocket with zip for valubles.

Article	Tread	Colour	Size
1795540	Jersey	black	S
1795541	Jersey	black	М
1795542	Jersey	black	L
1795543	Jersey	black	XL
1795544	Jersey	black	XXL





Children's cycling jersey, attractively designed to match our adult version.

Article	Tread	Colour	Size
1795589	Kids black jersey	black	128
1795590	Kids black jersey	black	140
1795591	Kids black jersey	black	152
1795592	Kids black jersey	black	XS

#### White jersey

Cycling jersey, white with an attractive design, a longer zipper and three rear pockets, plus an extra safety pocket with zip for valubles.

Article	Tread	Colour	Size
1795572	Jersey	white	S
1795573	Jersey	white	М
1795574	Jersey	white	L
1795575	Jersey	white	XL
1795576	Jersey	white	XXL



FOR KIDS



#### **Cycling jacket**

Cycling jacket with an attractive design, lightly padded. Featuring reflective strips for extra visibility in the dark.

Article	Tread	Colour	Size
1795562	Cycling jacket	black	S
1795563	Cycling jacket	black	М
1795564	Cycling jacket	black	L
1795565	Cycling jacket	black	XL
1795566	Cycling jacket	black	XXL





#### **Cycling shorts black**

Bib shorts with antibacterial seat insert.

Article	Tread	Colour	Size
1795545	Cycling shorts	black	S
1795546	Cycling shorts	black	М
1795547	Cycling shorts	black	L
1795548	Cycling shorts	black	XL
1795549	Cycling shorts	black	XXL



Bib shorts with antibacterial seat insert.

Article	Tread	Colour	Size
1795577	Cycling shorts	white	S
1795578	Cycling shorts	white	М
1795579	Cycling shorts	white	L
1795580	Cycling shorts	white	XL
1795581	Cycling shorts	white	XXL





#### Bib tights black

Long 'Roubaix' style bib tights. Does not include a padded insert.

Article	Tread	Colour	Size
1795567	Cycling Bib tights	black	S
1795568	Cycling Bib tights	black	М
1795569	Cycling Bib tights	black	L
1795570	Cycling Bib tights	black	XL
1795571	Cycling Bib tights	black	XXL





#### Children's cycling shorts black

Bib shorts with antibacterial seat insert.

Article	Tread	Colour	Size
1795593	Childrens bib shorts	black	128
1795594	Childrens bib shorts	black	140
1795595	Childrens bib shorts	black	152
1795596	Childrens bib shorts	black	XS



### for cycling, leisure and accessories



#### Windbreaker

Sporty windbreaker, an essential companion for your cycle ride, no matter what time of year. Multiple reflective strips incorporated for extra safety at night.

Article	Tread	Size
1795032	Windbreaker	S
1795033	Windbreaker	М
1795034	Windbreaker	L
1795035	Windbreaker	XL
1795036	Windbreaker	XXL



#### **Arm warmers**

Comfortable Conti-style arm warmers made of very soft elastic fabric, ideal for the spring & autumn periods. The material is robust, light, comfortable and easy to clean. The arm warmers provide maximum comfort and freedom of movement. Elastic silicon adhesive rubber in the cuffs for a slip-free fit. **Material**: 80 % Nylon, 20 % Spandex

Article	Tread	Colour	Size
1795419	Arm warmers	black	S
1795420	Arm warmers	black	М
1795421	Arm warmers	black	L
1795422	Arm warmers	black	XL
1795423	Arm warmers	black	XXL

#### **VAUDE** Ride Jacket

Functional, lightweight jacket, only 205 grams in weight! Highly elastic, durable material offering the best Vaude quality. Protects effectively against cold winds whilst cycling, yet stylish & cool enough to wear for everyday activities.

Material: 100 % Polyester, Windproof 80

Tread	Colour	Size
Vaude Ride Jacket	black	S
Vaude Ride Jacket	black	М
Vaude Ride Jacket	black	L
Vaude Ride Jacket	black	XL
Vaude Ride Jacket	black	XXL
	Vaude Ride Jacket Vaude Ride Jacket Vaude Ride Jacket Vaude Ride Jacket	Vaude Ride Jacket black Vaude Ride Jacket black Vaude Ride Jacket black Vaude Ride Jacket black





#### Voct

Sporty vest, windproof front and rear of the shoulder area, mesh back otherwise.

Article	Tread	Size
1795027	Vest	S
1795028	Vest	М
1795029	Vest	L
1795030	Vest	XL
1795031	Vest	XXL

#### Leg warmers

The perfect leg warmers for the changing seasons with a stylish Conti look – with elastic leg cuffs for the perfect fit and optimum comfort. The fabric is very smooth and gentle on the skin. **Material**: 80 % Nylon, 20 % Spandex

	Article	Tread	Colour	Size
	1795414	Leg warmers	black	S
	1795415	Leg warmers	black	М
	1795416	Leg warmers	black	L
	1795418	Leg warmers	black	XXL







#### **Racing socks**

Classic, high-quality feel racing socks with stylish Conti BlackChili design. Perfect fit through anatomical knitting technique. Material: 70 % Polyester (Coolmax), 21% Polyamide (Nylon), 4 % Spandex, 5 % Spandex (Lycra)

Article	Tread	Colour	Size
1795459	Racing socks	black	33-35
1795460	Racing socks	black	35-39
1795461	Racing socks	black	40-43
1795462	Racing socks	black	44-46

## Plastic drinking bottle

Article Tread 0149601



#### Wheelbags

Wheel bag with two padded compartments for MTB or racing bike tyres (front + rear) with reinforced carrying and shoulder straps. In Conti-style, ideal for transporting tyres and rims. With reflective strips.

Material: hard-wearing plastic

Article Tread 0140011 Wheelbag, MTB, BlackChili

0140006 Wheelbag, Race, Continental



#### **Gymbag**

Shoulder bag, gym bag or wet bag, call it what you like, as it is ideal for so may cycling and non cycling applications. Pre race or post race, it is an essential piece of kit!

Article Tread

1795354 Gymbag, Continental





#### **Sweatband**

Article	Tread	Colour
1795582	Sweatband	black



### for cycling, leisure and accessories



#### Caps

Conti cap in military style with a range of Conti motifs. Not just for cycling, also for leisure and lifestyle. High-class tailoring, made with high-quality material. With adjustable head strap, many designs available. **Material:** 100 % Cotton

Article	Tread	Colour	Size
Article	iread	Colour	Size
1795393	[A] Race Cap	black	
1795394	[B] Race Cap	contiyellow	
1795406	Cap, Grand Prix	black	55-57
1795407	Cap, Grand Prix	black	58-60
1791035	[C] Cap, BlackChili	black	55-57
1795360	[C] Cap, BlackChili	black	58-60
1791036	Cap, Deutsche Technik	black	55-57
1795361	Cap, Deutsche Technik	black	58-60
1791037	Cap, MountainKing	black	55-57
1795362	Cap, MountainKing	black	58-60
1795695	D Cap, GatorHardshell	green	55-57
1795696	D Cap, GatorHardshell	green	58-60
1795698	[E] Elastic Cap	black	one size
1795699	[F] Trucker Cap	black	one size



#### **VAUDE** zip off pants

The innovative combination of quick-drying and dirt-repellant functional material is an ideal garment for leisure cycling: 2 handy front pockets, 2 leg pockets with flaps and Conti logos, 2 back pockets, Waistband with elastic inserts, detachable legs for use as shorts, adjustable leg cuffs with Velcro, Articulated knees, Separate inner leg with non-slip rubber, Weight: 350 g. **Material:** Outer 100 % Nylon Supplex; Inner 90 % Polyamide, 10 % Spandex

Article	Tread	Colour	Size
1795424	1795424 VAUDE zip off pants		S
1795425	VAUDE zip off pants	black	М
1795426	VAUDE zip off pants	black	L
1795427	5427 VAUDE zip off pants	black	XL
1795428	VAUDE zip off pants	black	XXL
1795478	VAUDE zip off pants	black	XXXL



#### **VAUDE Vest, BlackChili**

Athletically-minded vest with adjustable collar in Conti BlackChili style. Made with Windproof 100 on the front, and a wind resistant rear. Stormrace is a breathable, lightweight vest sure to fit in any pack, 2 pockets with inverted zips and contrast piping, inverted front zip with contrasting piping and back flap, adjustable collar, drawcord adjustment at the lower hem, arm opening bound with Lycra, comfortable fit, Weight: 281 g.

**Material:** Frontparts 100 % Polyester with PU-Membrane; Backpart 100 % Polyester

Article	Tread	Colour	Size
1791025	Vaude Vest, BlackChili	black	S
1791026	Vaude Vest, BlackChili	black	М
1791027	Vaude Vest, BlackChili	black	L
1791028	Vaude Vest, BlackChili	black	XL
1791029	Vaude Vest, BlackChili	black	XXL
1791030	Vaude Vest women, BlackChili	black	36
1791031	Vaude Vest women, BlackChili	black	38
1791032	Vaude Vest women, BlackChili	black	40
1791033	Vaude Vest women, BlackChili	black	42
1791034	Vaude Vest women, BlackChili	black	44











Lightweight jacket in a fitted cut with Conti badges on sleeves and chest pockets. Washed color look in black or green options. Material: 100% Cotton

Article	Tread	Colour	Size
1795363	Army jacket, MKing	green	S
1795364	Army jacket, MKing	green	М
1795365	Army jacket, MKing	green	L
1795366	Army jacket, MKing	green	XL
1795367	Army jacket, MKing	green	XXL
1795378	Army jacket, AF	black	S
1795379	Army jacket, AF	black	М
1795380	Army jacket, AF	black	L
1795381	Army jacket, AF	black	XL
1795382	Army jacket, AF	black	XXL
1795368	Army jacket, women, MKing	green	34
1795369	Army jacket, women, MKing	green	36
1795370	Army jacket, women, MKing	green	38
1795371	Army jacket, women, MKing	green	40
1795372	Army jacket, women, MKing	green	42
1795373	Army jacket, women, AF	black	34
1795374	Army jacket, women, AF	black	36
1795375	Army jacket, women, AF	black	38
1795376	Army jacket, women, AF	black	40
1795377	Army jacket, women, AF	black	42

	Article	iread	Colour	Size
	1795598	T-Shirt, men, Deutsche Technik	graphite	S
	1795600	T-Shirt, men, Deutsche Technik	graphite	М
	1795601	T-Shirt, men, Deutsche Technik	graphite	L
	1795602	T-Shirt, men, Deutsche Technik	graphite	XL
	1795603	T-Shirt, men, Deutsche Technik	graphite	XXL
	1795604	T-Shirt, men, Handmade in Germany	black	S
	1795605	T-Shirt, men, Handmade in Germany	black	М
	1795606	T-Shirt, men, Handmade in Germany	black	L
	1795607	T-Shirt, men, Handmade in Germany	black	XL
	1795608	T-Shirt, men, Handmade in Germany	black	XXL
	1795609	T-Shirt, men, Gatorskin	brown	S
	1795610	T-Shirt, men, Gatorskin	brown	М
	1795611	T-Shirt, men, Gatorskin	brown	L
	1795612	T-Shirt, men, Gatorskin	brown	XL
	1795613	T-Shirt, men, Gatorskin	brown	XXL

AI LICIE	ireau	Coloui	Size
1795614	T-Shirt, men, Deutsche Technik	light blue	S
1795615	T-Shirt, men, Deutsche Technik	light blue	М
1795616	T-Shirt, men, Deutsche Technik	light blue	L
1795617	T-Shirt, men, Deutsche Technik	light blue	XL
1795618	T-Shirt, men, Deutsche Technik	light blue	XXL
1795619	T-Shirt, men, ProTection	white	S
1795620	T-Shirt, men, ProTection	white	М
1795621	T-Shirt, men, ProTection	white	L
1795622	T-Shirt, men, ProTection	white	XL
1795623	T-Shirt, men, ProTection	white	XXL

Article	Iread	Colour	Size
1795624	T-Shirt, men, Conti	khaki	S
1795625	T-Shirt, men, Conti	khaki	М
1795626	T-Shirt, men, Conti	khaki	L
1795627	T-Shirt, men, Conti	khaki	XL
1795628	T-Shirt, men, Conti	khaki	XXL
1795642	T-Shirt men, Wat Mud	navy	S
1795643	T-Shirt men, Wat Mud	navy	М
1795644	T-Shirt men, Wat Mud	navy	L
1795645	T-Shirt men, Wat Mud	navy	XL
1795646	T-Shirt men, Wat Mud	navy	XXL
1795629	T-Shirt, women, Deutsche Technik	rose	XS
1795630	T-Shirt, women, Deutsche Technik	rose	S
1795631	T-Shirt, women, Deutsche Technik	rose	М
1795632	T-Shirt, women, Deutsche Technik	rose	L
1795633	T-Shirt, women, Deutsche Technik	rose	XL
	•		





#### **Poster Sets**

Article	Tread	PU
1795429	Poster, Set Mix, DIN A1	6 Pcs.
1795432	Poster, Truck Atherton, DIN A1	5 Pcs.
1795433	Poster, Gee Atherton, DIN A1	5 Pcs.
1795664	Poster, G-Unit Speed, DIN A1	5 Pcs.
1795665	Poster, G-Unit Wolke, DIN A1	5 Pcs.
1795669	Poster, Schley, DIN A1 (fig.)	5 Pcs.
1795670	Poster, Söderström, DIN A1	5 Pcs.
1795686	Poster, MacAskill, DIN A1 (fig.)	5 Pcs.



#### Director's chair

Article Tread

1799546 Director's chair



#### Stickerset

Article		Tread
	1795662	Stickerset black, 120 pcs.
	1795663	Stickerset contiyellow, 120 pcs.





#### **Miniature Truck**

Article	Tread
1795486	Miniature truck with cabinet
1795487	Miniature truck without cabinet



#### **Diverses**

Article	Tread
1791074	[A] Conti Football Table
1796127	[B] Paper bags (200 per box)
1796102	[C] Small bags for small parts (500 per box)
0140064 NEW	[D] Money tray
1795725	[E] Beachflag 2,75 m (incl. bottom plate, high value rotary base and bag
1795724	[F] Uvex sunglasses BlackChili









#### **Banner**

	Article	Tread
	0140015	Banner Plus-Family, 600 x 1390 mm
	1791020	Conti banner, 240 x 90 cm, PVC, black logo
	1791021	Conti banner, 240 x 90 cm, PVC, contiyellow logo
	1791022	Conti banner, 240 x 90 cm, PVC, logo dt. technik
	1791023	Conti banner 300 x 75 cm. Polyester black logo





#### **Aluminium signs**

The billboard for the workshop or garage, Dimensions 68 cm long, 21 cm high.

high.			
Article	Tread		

1795359 Continental sign, aluminum, rectangular1795358 BlackChili sign, aluminum, rectangular



#### **Display**

Article	Tread
1796120	Valve display



Article Tread

1795474 Tyrecut, Plus-Family



#### **Tyre Protection Covers**

Article Tread

0199080 Tyre Protection Covers

Clothing for cycling, leisure and accessories





#### **Aprons**

Apron for the garage mechanic.

Article	Tread	Colour
1795538	Apron full length	black
1795539	Apron half length	black



#### **Mechanic gloves**

Article	Tread	Colour	Size
1795585	Mechanic gloves, 1 pair	black	М
1795586	Mechanic gloves, 1 pair	black	L
1795587	Mechanic gloves, 1 pair	black	XL



### Cord gloves

Article	Tread	Colour
1795353	Cord gloves, 1 pair	black



#### **Production overalls**

Clothing for hobbies and the workplace, in suitable Conti design with breast and side pockets. Made with robust, easy-to-wash material for comfort and durability. Material: 60 % Cotton, 40 % Polyester

Article	Tread	Colour	Size
1795395	Production overalls	black	46
1795396	Production overalls	black	48
1795398	Production overalls	black	50
1795399	Production overalls	black	52
1795400	Production overalls	black	54
1795401	Production overalls	black	56
1795402	Production overalls	black	58
1795403	Production overalls	black	60
1795404	Production overalls	black	62
1795405	Production overalls	black	64



#### Repair cards

Article	Tread
1796101	Repair cards (50 per box)



#### 90

\*TPI see page 71

Company	New tyr						m away w	nune enn	ca	
1975   1975   1975   267   277   2	Article	ETRTO	Dimension	Technology	Color/Sidewall/Bead	TPI*	BLACKCHII	PURE GRIP	Ö	PSI
1909    2-9-02   0.9 x 20   0.9	0100935	23-571					\		205	110-120
1975   1975							$\overline{}$		185 205	130–160 110–120
2   2   2   2   2   2   2   2   2   2	0100938	23-622	700 x 23C	Vectran Breaker	black/red Skin foldable	3/330	- (		215	110-120
1992   1992									215 215	110-120 110-120
Company   Comp	0100941	23-622	700 x 23C	Vectran Breaker	black/blue Skin foldable	3/330	(		215	110-120
Bioback							-		215	110–120 110–120
1000066	0100944		700 x 23C	Vectran Breaker		3/330	(		215	110-120
20000015									225	95–120 95–120
Content   Cont	0100947		700 x 28C	Vectran Breaker	black/black Skin foldable	3/330	,		235	95-116
2000003		28-622	700 X 28C	vectran Breaker	DIACK/DIACK SKIN TOIDADIE RETIEX	3/330			235	95–116
20,000   26,002   700 k 200   700 k 200									280	110-120
Group   Company   Compan									320	95–120 80–116
1990077	<b>Grand Sport Race</b>									
100-000-000-000-000-000-000-000-000-000									250	110–120 95–120
1000006		28-622				3/180			270	80–116
Unit   2007   11		23-622	700 x 23C	NvTech Breaker	black/black Skin foldable	3/180		~	220	110–120
1997   23   22   70   226   Performance   Black/Hord Skin foliable   27   80   28   28   29   20   28   28   29   29   29   29   29   29	Ultra Sport II							•		
0000072										110–120 110–120
1951 29	0150127	23-622	700 x 23C	Performance	black/yellow Skin foldable	3/180			240	95-120
1999   23   262									240	95–120 80–116
1951022	0150130	23-622	700 x 23C	Performance	black/green Skin foldable	3/180			240	80-116
0160010									240	110-120 110-120
0.00009		23-622	700 x 23C			3/180			300	110-120
0150014									260 320	110-120 110-120
0160012   016002	0150014	28-622	700 x 28C			3/180			280 280	110-120
OBSSE41	0150012	28-622							340	110-120
Treal Krung 24.72			27 x 1	Vectran Breaker	black/black Skin	4/240	(		270	115–170
100997	Trail King 2.4/2.2									
1009061									1090	45–58 45–58
0109050	0100904	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240	ļ		770	50-65
01000282									640 665	50-65 50-65
Mod Ning 2			29 x 2.2				(		710	50-65
0100918		55-584	27.5 x 2.2	Sport 27.5	black/black Skin	4/112			1040	50–65
Mountain King 2 4/2 2		47-622	29 x 1.8	ProTection	black/black Skin foldable	4/240			580	50-65
100989							1			
0150063										50-65 50-65
1000006	0150053	60-559	26 x 2.4	Performance	black/black Skin foldable	3/180	,		715	50-65
1009855								~	800	50-65 50-65
0150016	0100855	55-584	27.5 x 2.2	ProTection 27.5	black/black Skin foldable	4/240			700	50-65
0160046										50-65 50-65
X-King 2-4/2-2/2-0	0150046	55-622	29 x 2.2	Performance 29er	black/black Skin foldable	3/180			760	50-65
1009090		55-584	27.5 x 2.2	Sport 27.5	black/black Skin	3/84			710	50–65
0150041		60-584	27.5 x 2.4	ProTection 27.5	black/black Skin foldable	4/240			715	50-65
0150042							(		610	50-65 50-65
100910									735	50-65
100911									800	50-65
0150002         55-559         26 x 2.2         Performance 29er         black/black Skin foldable         3/180         ✔ 692           0150045         55-622         29 x 2.2         Performance 29er         black/black Skin foldable         3/180         ✔ 692           0100983         50-559         26 x 2.0         RaceSport         black/black Skin foldable         3/180         ✔ 566           0100861         50-622         29 x 2.0         RaceSport 29er         black/black Skin foldable         3/180         ✔ 556           0150114         50-622         29 x 2.0         Performance 29er         black/black Skin foldable         3/180         ✔ 556           0100765         50-559         26 x 2.0         Sport 29er         black/black Skin foldable         3/180         ✔ 576           0100765         50-559         26 x 2.0         Sport 29er         black/black Skin foldable         3/180         ✔ 576           0100785         50-559         26 x 2.0         Sport 29er         black/black Skin foldable         3/180         ✔ 576           0100914         55-564         275 x 2.2         ProTection 27.5         black/black Skin foldable         3/180         ✔ 616           0150033         55-569         26 x 2.2         Performance 29er									525	50-65 50-65
0100912 55-584 275 x 2.2 Sport 275 black/black Skin oldable 3/180 466 0100861 50-622 29 x 2.0 RaceSport black/black Skin foldable 3/180 540 540 540 550 550 550 550 550 550 55	0150002	55-559	26 x 2.2	Performance	black/black Skin foldable	3/180	•		620	50-65
0100883										50-65 50-65
0150105	0100863	50-559	26 x 2.0	RaceSport	black/black Skin foldable	3/180			460	50-65
0150114   50-622   29 x 2.0   Performance 29er   black/black Skin foldable   3/180   ✓ 615										50-65 50-65
Diogos2	0150114	50-622	29 x 2.0	Performance 29er	black/black Skin foldable	3/180			615	50–65
Race King 2.2/2.0									570 710	50-65 50-65
0100914		30-02Z			DIAGN DIAGN GRIT				7 10	
0150033 55-559 26 x 2.2 Performance black/black Skin foldable 3/180	0100913						-		610 510	50–65 50–65
0150036   55-622   29 x 2.2   Performance 29er   black/black Skin foldable   3/180   ✓ 666	0150033	55-559	26 x 2.2	Performance	black/black Skin foldable	3/180			600	50-65
0150031	0150036	55-622	29 x 2.2	Performance 29er	black/black Skin foldable	3/180		~	660	50-65
0150035         50-622         29 x 2.0         Performance 29er         black/black Skin foldable         3/180         ✔ 606           Speed King 2.2           0100933         55-622         29 x 2.2         RaceSport         black/black Skin foldable         3/180         465           Top CONTACT II         Vectran Breaker         black/black Skin foldable Reflex         3/180         566           0100573         32-622         700x32C (700C)         Vectran Breaker         black/black Skin foldable Reflex         3/180         586           0100872         50-559         26 x 2.0         SafetySystem Breaker         creme/creme Reflex         3/180         915           0100874         50-559         26 x 2.0         SafetySystem Breaker         grey/grey Reflex         3/180         915           0100875         55-559         26 x 2.2         SafetySystem Breaker         grey/grey Reflex         3/180         915           0100876         55-559         26 x 2.2         SafetySystem Breaker         grey/grey Reflex         3/180         966           0100878         50-622         28 x 2.0         SafetySystem Breaker         prey/grey Reflex         3/180         93           0100883         50-622         28 x 2.2         Saf								~	700 555	50-65 50-65
Dinosit   Dino	0150035							~	605	50-65
Top CONTACT		55-622	29 x 2.2	RaceSport	black/black Skin foldable	3/180	•		465	50-65
270032   2000	Top CONTACT II									
Cruise CONTACT         Cruise CONTACT           0100872         50-559         26 x 2.0         SafetySystem Breaker preaker         creme/creme Reflex         3/180         915           0100874         50-559         26 x 2.2         SafetySystem Breaker preaker         grey/grey Reflex         3/180         915           0100877         55-559         26 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180         96           0100875         55-559         26 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180         96           0100899         55-559         26 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180         96           0100878         50-622         28 x 2.0         SafetySystem Breaker preaker prey/grey Reflex         3/180         96           0100883         50-622         28 x 2.0         SafetySystem Breaker preaker prey/grey Reflex         3/180         93           0100879         55-622         28 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180         93           0100880         50-622         28 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180         98           0100882         55-622         28 x 2.2         SafetySystem Breaker prey/grey Reflex         3/180									560 580	80–102 70–85
0100874         50-559         26 x 2.0         SafetySystem Breaker or creme/creme Reflex         3/180         915           0100877         55-559         26 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         96           0100875         55-559         26 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         96           0100899         55-559         26 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         96           0100878         50-622         28 x 2.0         SafetySystem Breaker or creme/creme Reflex         3/180         93           0100883         50-622         28 x 2.0         SafetySystem Breaker or creme/creme Reflex         3/180         93           0100879         55-622         28 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         98           0100701         55-622         28 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         98           0100701         55-622         28 x 2.2         SafetySystem Breaker or creme/creme Reflex         3/180         98           0100886         50-559         26 x 2.0         Puncture ProTection or grey/grey Reflex         3/66         88           0100887         55-559         26 x 2.	Cruise CONTACT		<u> </u>							
0100877         55-559         26 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         960           0100875         55-559         26 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         960           0100878         55-559         26 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         960           0100878         50-622         28 x 2.0         SafetySystem Breaker oreme/creme Reflex         3/180         960           0100883         50-622         28 x 2.0         SafetySystem Breaker oreme/creme Reflex         3/180         930           0100879         55-622         28 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         930           0100882         55-622         28 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         980           0100701         55-622         28 x 2.2         SafetySystem Breaker oreme/creme Reflex         3/180         980           0100886         50-559         26 x 2.0         Puncture ProTection oreme/creme Reflex         3/180         980           0100885         50-559         26 x 2.0         Puncture ProTection oreme/creme Reflex         3/66         880           0100887         55-559         26 x 2.2         P									915 915	45–58 45–58
0100875         55-559         26 x 2.2         SafetySystem Breaker         grey/grey Reflex         3/180         966           0100699         55-559         26 x 2.2         SafetySystem Breaker         black/black Reflex         3/180         960           0100878         50-622         28 x 2.0         SafetySystem Breaker         creme/creme Reflex         3/180         930           0100883         50-622         28 x 2.0         SafetySystem Breaker         grey/grey Reflex         3/180         930           0100879         55-622         28 x 2.2         SafetySystem Breaker         creme/creme Reflex         3/180         980           0100882         55-622         28 x 2.2         SafetySystem Breaker         creme/creme Reflex         3/180         980           0100701         55-622         28 x 2.2         SafetySystem Breaker         black/black Reflex         3/180         980           80         1000701         55-622         28 x 2.2         SafetySystem Breaker         black/black Reflex         3/180         980           80         100088         50-559         26 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         880           0100885         50-559         26 x 2.2         Puncture	0100877	55-559	26 x 2.2	SafetySystem Breaker	creme/creme Reflex	3/180			960	45-58
0100878         50-622         28 x 2.0         SafetySystem Breaker or grey/grey Reflex         3/180         930           0100883         50-622         28 x 2.0         SafetySystem Breaker grey/grey Reflex         3/180         930           0100879         55-622         28 x 2.2         SafetySystem Breaker grey/grey Reflex         3/180         980           0100882         55-622         28 x 2.2         SafetySystem Breaker grey/grey Reflex         3/180         980           0100701         55-622         28 x 2.2         SafetySystem Breaker grey/grey Reflex         3/180         980           Retro RIDE           0100886         50-559         26 x 2.0         Puncture ProTection grey/grey Reflex         3/66         880           0100885         50-559         26 x 2.0         Puncture ProTection chack/black Reflex         3/66         880           0100886         50-559         26 x 2.2         Puncture ProTection creme/creme Reflex         3/66         880           0100887         55-559         26 x 2.2         Puncture ProTection grey/grey Reflex         3/66         950           0100888         55-559         26 x 2.2         Puncture ProTection grey/grey Reflex         3/66         950           0100892         50-622	0100875	55-559	26 x 2.2	SafetySystem Breaker	grey/grey Reflex	3/180			960	45–58
0100883         50-622         28 x 2.0         SafetySystem Breaker         grey/grey Reflex         3/180         933           0100879         55-622         28 x 2.2         SafetySystem Breaker         creme/creme Reflex         3/180         980           0100882         55-622         28 x 2.2         SafetySystem Breaker         grey/grey Reflex         3/180         980           0100701         55-622         28 x 2.2         SafetySystem Breaker         black/black Reflex         3/180         980           Retro RIDE           0100886         50-559         26 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         880           0100885         50-559         26 x 2.0         Puncture ProTection         black/black Reflex         3/66         880           0100802         55-559         26 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         920           0100887         55-559         26 x 2.2         Puncture ProTection         grey/grey Reflex         3/66         950           0100888         55-559         26 x 2.2         Puncture ProTection         grey/grey Reflex         3/66         950           0100892         50-622         28 x 2.0         P									960 930	45–58 45–58
0100882         55-622         28 x 2.2         SafetySystem Breaker plack         grey/grey Reflex         3/180         98           0100701         55-622         28 x 2.2         SafetySystem Breaker plack         black/black Reflex         3/180         98           Retro RIDE           0100886         50-559         26 x 2.0         Puncture ProTection plack/black Reflex         3/66         88           0100885         50-559         26 x 2.0         Puncture ProTection plack/black Reflex         3/66         88           0100802         55-559         26 x 2.2         Puncture ProTection previous	0100883	50-622	28 x 2.0	SafetySystem Breaker	grey/grey Reflex	3/180			930	45-58
0100701         55-622         28 x 2.2         SafetySystem Breaker         black/black Reflex         3/180         980           Retro RIDE           0100886         50-559         26 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         880           0100885         50-559         26 x 2.0         Puncture ProTection         black/black Reflex         3/66         880           0100802         55-559         26 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         92C           0100887         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         950           0100888         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         92C           0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         950           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         950           0100605         55-622         28 x 2.0         Puncture ProTection         creme/creme Reflex         3/66         950									980 980	45–58 45–58
0100886         50-559         26 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         880           0100885         50-559         26 x 2.0         Puncture ProTection         black/black Reflex         3/66         880           0100602         55-559         26 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         920           0100887         55-559         26 x 2.2         Puncture ProTection         grey/grey Reflex         3/66         950           0100888         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         920           0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         950           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         950           0100805         55-622         28 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         950	0100701								980	45–58
0100885         50-559         26 x 2.0         Puncture ProTection         black/black Reflex         3/66         88           0100802         55-559         26 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         92           0100887         55-559         26 x 2.2         Puncture ProTection         grey/grey Reflex         3/66         95           0100888         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         92           0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         95           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         95           0100805         55-622         28 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         95		50-550	26 x 2 0	Puncture ProTection	grey/grey Refley	3/66			880	45–58
0100602         55-559         26 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         92C           0100887         55-559         26 x 2.2         Puncture ProTection         grey/grey Reflex         3/66         95C           0100888         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         95C           0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         95C           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         95C           0100805         55-622         28 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         95C		50-559	26 x 2.0						880	45-58
0100888         55-559         26 x 2.2         Puncture ProTection         black/black Reflex         3/66         92C           0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         95C           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         95C           0100605         55-622         28 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         99C	0100602	55-559	26 x 2.2	Puncture ProTection	creme/creme Reflex	3/66			920	45-58
0100892         50-622         28 x 2.0         Puncture ProTection         grey/grey Reflex         3/66         950           0100893         50-622         28 x 2.0         Puncture ProTection         black/black Reflex         3/66         950           0100605         55-622         28 x 2.2         Puncture ProTection         creme/creme Reflex         3/66         990									950 920	45–58 45–58
0100605 55-622 28 x 2.2 Puncture ProTection creme/creme Reflex 3/66 990	0100892	50-622	28 x 2.0	Puncture ProTection	grey/grey Reflex	3/66			950	45–58
									950 990	45-58 45-58
	0100891	55-622	28 x 2.2	Puncture ProTection	grey/grey Reflex	3/66			950	45-58
									990	45–58



www.conti-bicycletyres.com



Continental Reifen Deutschland GmbH Bicycle Tyres Division Continentalstraße 3–5 D-34497 Korbach

www.conti-bicycletyres.com

© Copyright 2013 by Continental Reifen Deutschland GmbH, 30165 Hannover, Germany. Subject to technical changes, no reliability for printer's error. 08/13 MAX FIELDS. Vectran™ is the registered trademark of Kuraray Co., Ltd.; Kevlar™ is the registered trademark of E. I. du Pont de Nemours and Company.

